



American MasterTech
scientific laboratory supplies

Bouin's Fluid

Ready to Use Histological Tissue Fixative

(Rev. 3/8/18)

Bouin's Fluid, The product and its purpose:

Bouin's Fluid is a good Histological tissue fixative for lymph nodes and glycogen. Bouin's Fluid is also a mordant for Special Stains. Bouin's Fluid is intended for In Vitro Diagnostic use. Active ingredients include; Formaldehyde (<10%), Acetic Acid (<10%), and Picric Acid (<3%).

Bouin's Fluid, Instructions for use:

Use Bouin's Fluid as you would any routine histology fixative. Most surgical tissue specimens require 6 to 24 hours for complete fixation. Large tissues may take longer to ensure complete penetration and fixation.

Bouin's Fluid, Storage and Stability:

Bouin's Fluid should be stored at 15-30 C and is stable under normal laboratory conditions. See product label for shelf life.












Bouin's Fluid, Precautions:

See Safety Data Sheet (SDS) for warnings and precautions.

Bouin's Fluid, Disposal:

Dispose of Bouin's Fluid in accordance with all local, state, federal, environmental and/or EU regulations.

CE MARKINGS AND DESIGNATIONS:

	Catalogue Number		Temperature Limitation		Manufacturer	American MasterTech Scientific 1330 Thurman St. Lodi, CA 95240 USA Tel 800 860 4073 Fax 209 368 4136
	Batch Code		Use By		Representative	Emergo Europe Prinsessegracht 20 2514 AP The Hague The Netherlands
	In Vitro Diagnostic Medical Device		Consult Instructions Prior to Use			
	Irritant		Health Hazard			

Copyright © 2015-2018 American MasterTech Scientific. All rights reserved.

No part of these pages may be used for any purpose other than personal use. Therefore, reproduction, modification, storage in a retrieval system or retransmission, in any form or by any means, for reasons other than personal use, is strictly prohibited without prior written permission.