Alcoholic Formalin 10% Page 1 of 4

## BBC Biochemical MATERIAL SAFETY DATA SHEET

Section 1. Chemical Product and Company Information		
Common Name: Alcoholic Formalin 10%	Code: 0400	
Supplier: BBC Biochemical	MSDS#: 0400	
Synonym: None	Validation Date: 01-17-13	
Trade Name: None	Print Date: 01-17-13	
Material Uses: Rapid Fixation	Responsible Name: Skye Mitchell	
Manufacturer: BBC Biochemical PO Box 1320 409 Eleanor Lane Mount Vernon, WA 98273 1-800-635-4477	In Case of Emergency: 1-800-424-9300 Chemtrec USA 1-202-483-7616 Chemtrec Intrl 1-800-635-4477	

Section 2. Composition and Information on Ingredients			
Name	CAS#	Percentages	OSHA PEL/STEL
1) Water	7732-18-5	86.3%	Not available
3) Formaldehyde 37%	50-00-0	3.7%	Not available
4) Ethyl Alcohol	64-17-5	10%	2 ppm
5) Select Buffers	Not available	Not available	Not available

Section 3. Hazards Identification		
Physical State and Appearance	Clear Aqueous Solution, slight alcohol odor.	
Emergency Overview	Not available.	
Routes of Entry	Eye Contact, inhalation, skin contact and ingestion	
Potential Acute Health E	Effects	
Eyes	Irritation, may cause permanent damage.	
Skin	May cause mild irritation, redness, cracking and drying. Corrosive.	
Inhalation	Causes irritation to the respiratory tract. High concentrations may cause central nervous system	
	depression, with weakness, drowsiness, nausea, vomiting, diarrhea, fatigue and loss of consciousness.	
Ingestion	Poisonous. Causes nausea, headache, and double vision. May cause unconsciousness or death.	
Potential Chronic Health	Formaldehyde as the potential to cause cancer in humans. Repeated and prolonged exposure	
Effects	increases the risk. In humans, formaldehyde exposure has been associated with cancers of the lungs,	
	nasopharynx and oropharynx and nasal passages.	
Medical Conditions	Respiratory conditions.	
Aggravated by		
Overexposure		
Overexposure/	n/a	
Signs/Symptoms		

Section 4. First	Aid Measures
Eye Contact	Immediately flush thoroughly with water for at least 15 minutes. Call a physician. If eye irritation persists due to exposure refer to an ophthalmologist for evaluation.
Skin Contact	Remove contaminated clothing at once (launder before reuse); discard contaminated shoes. Wash thoroughly with water for at least 15 minutes.
Inhalation	Move individual to fresh air immediately. If breathing is difficult, give oxygen. If breathing has stopped, administer artificial respiration. Call a physician.
Ingestion	If swallowed, do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately. ANTIDOTE(Ingestion) Unless unconscious or convulsing, give large amounts of water or milk.
Notes to Physician	When plasma methanol concentrations exceed 20mg/dl and when there is evidence of acidosis or visual abnormalities, a 10% solution of ethanol in 5% dextrose administered intravenously is a safe, effective antidote.

Section 5. Fire Fighting Measures		
Flammability Product	Yes under the conditions of heat, flame, sparks or static electricity.	

Alcoholic Formalin 10% Page 2 of 4

Auto-ignition	Avoid contact with ignition sources.
Temperature	
Flash Points	101 F (TCC)
Flammable Limits	Upper Limit(% by volume): 73% (37% Formaldehyde) Lower Limit: 7% (37% Formaldehyde)
<b>Products of Combustion</b>	Formic Acid.
Fire Hazards in Presence	Not available.
Of Various Substances	
Explosion Hazards in	Thermal decomposition procedures toxic fumes. Corrosive to most metals when dissolved in water.
Presence of Various	
Substances	
Fire Fighting Media	Wear self-contained breathing apparatus and protective clothing.
and Instructions	
<b>Protective Clothing (Fire)</b>	
Special Remarks on Fire	For extinction: Use dry chemical, carbon dioxide, water spray or regular foam. For larger
Hazards	fires, use water spray, for or regular foam.
Special Remarks on	Thermal decomposition produces toxic fumes. Corrosive to most metals when dissolved in water.
Explosion Hazards	

## Section 6. Accidental Release MeasuresLeak and Spill ProcedureEliminate or shut off all ignition sources. Avoid eye and skin contact. Place leaking containers in a well ventilated area. Contain spill to minimize contaminated area using an absorbent material. Place waste into a properly labeled container for disposal. For larger spills, dike the spill to minimize contamination and facilitate salvage or disposal. Avoid runoff into storm sewers and ditches which lead to natural waterways. If fire potential exists, blanket spill with foam or use water spray to disperse vapors.

Section 7, H	landling and Storage
Handling	Do not breath vapor or mist. Do not get into eyes, on skin or on clothing.
Storage	Containers should be stored in an upright position to prevent leakage. Store in a well ventilated area, away from sources of ignition and direct sunlight. Store at 59F to 86F (15C – 30C) Keep away from heat, sparks and flame.

Section 8. Exposure Controls / Personal Protection			
Engineering Controls V	entilation – General mechanical ventilation or fume hood.		
Personal Protection Sa	afety glasses with slide shields must be worn at all times. Impervious protective clothing must be		
W	orn to prevent skin contact.		
Eyes	Safety glasses with side shields must be worn at all times.		
Body	Impervious protective clothing must be worn to prevent skin contact.		
Respiratory	If workplace exposure limits of product or any component is exceeded (See TLV/PEL), a		
	NIOSH/MSHA approved air supplied respirator is advised in absence of proper environmental control.		
	OSHA regulations.		
Hands	Neoprene, nitrile or equivalent.		
Feet			
Personal Protection in	Evacuate the area of all unnecessary personnel; eliminate any ignition sources until the area is		
Case of a Large Spill	determined to be free from explosion or fire hazards. Comply with Federal, State and local regulations		
	on reporting releases.		
Product Name	Exposure Limits		
1)Formaldehyde	PEL75ppm STEL-2.0ppm, OSHA,ACGIH		
2)Isopropyl Alcohol	PEL- 400ppm STEL- 500ppm, OSHA, ACGIH		
3)Methyl Alcohol	PEL- 200ppm STEL- 250ppm, OSHA, ACGIH		
4) Ethyl Alcol	PEL- 1000ppm , OSHA, ACGIH		
Consult Local authorities before acceptable exposure limits.			

Section 9. Physica	al and Chemical Properties		
Physical State and Appearance	Aqueous Solution.	Odor:	Mild odor.
Molecular Weight	Not applicable.	Taste:	Not available.
Molecular Formula	Not applicable.	Color:	Not available.
pH (1%/Water)	7.2		
Boiling/Condensation	Not applicable.		
Point			
Melting/Freezing Point	Not applicable.		
Critical Temperature	Not applicable.		_
Specific Gravity	Not applicable.		

Alcoholic Formalin 10% Page 3 of 4

Vapor Pressure	Not applicable.
Vapor Density	Not applicable.
Volatility	Not applicable.
Odor Threshold	Not applicable.
Evaporation Rate	Not applicable.
VOC	Not available.
Viscosity	Not available.
Ionicity (in water)	Not available.
Dispersion Properties	Not available.
Solubility	Not available.
Physical Chemical Comments	Not available.

Section 10. Stabi	lity and Reactivity
Stability and Reactivity	Chemical Stability- YES
Conditions of Instability	
1	pressures. May oxidize slowly on exposure to air.
Incompatibility with	ACETYL BROMIDE: Violent reaction with formation of hydrogen bromide.
Various Substances	BARRIUM PERCHLORATE: Distillation yields highly explosive alkyl perchlorate.
	BERYLLIUM HYDRIDE: Violent reaction, even at -196 °C.
	BROMINE: Vigorously exothermic reaction
	CALCIUM CARBIDE: Violent reaction
	CHLORINE: Possible ignition and explosion hazard.
	CHLOROFORM AND SODIUM HYDROXIDE: Explosive reaction
	DICHLOROMETHANE: Possible ignition and explosion.
	HYDROGEN PEROXIDE + WATER: Explosion hazard.
	IODINE + ETHANOL + MERCURIC OXIDE: Explosion hazard.
	LEAD PERCHLORATE: Explosion hazard.
	MAGNESIUM: Violent reaction.
	MAGNESIUM (POWDERED): Mixtures are capable of detonation.
	NITRIC ACID (concentrated): Mixtures of greater than 25% acid may decompose violently.
	NITROMETHANE: Violent reaction.
	OXIDIZERS: (STRONG): Fire and explosion hazard.
	PERCHLORIC ACID: Explosion hazard.
	Plastics, rubber, coatings: May be attacked
	POTASSIUM HYDROXIDE + CHLOROFORM: Exothermic reaction.
	SODIUM + CHLOROFORM: Possible explosion.
	SODIUM HYPOCHLORITE: Explosion hazard.
	SULFURIC ACID: Fire and explosion hazard.
<b>Hazardous Decomposit</b>	
Products	products of organic substances.
Hazardous	Not available.
Polymerization	
Section 11. Toxic	cological Information
Toxicity to Animals	LD50: Not available.
	LC50: Not available.
Chronic Effects on	N/A
Humans	
Other Toxic Effects on	N/A
Humans	
Special Remarks on	Tests on laboratory animals indicate formaldehyde may cause tumors and may produce adverse
Toxicity to Animals	mutagenic and reproductive effects. Cited in Registry of Toxic Effects of Substances (RTECS)
Special Remarks on	Not available.
Chronic Effects on	
Humans	
Special Remarks on	Not available.
Other Toxic Effects	
on Humans	

Section 12. Ecological Information	
Ecotoxicity	Not available.
BODS and COD	Not available.
Biodegradable/OEDC	Not available.
Mobility	Not available.
Toxicity of the Products of	Not available.

Alcoholic Formalin 10% Page 4 of 4

Biodegradation	
Special Remarks on	Not available.
The Products of	
Biodegradation	

Section 13. Disposal Considerations				
Waste Information	Dispose of unused or spent product in accordance with local, state and referral regulations. The information offered herein is for the product as shipped. Use and or alterations to the product such as mixing with other materials may significantly change the characteristics of the material and alter the classification and the proper disposal method. This is a RCRA regulated hazardous waste due to ignitability D001.			
Waste Stream	Not available.			
Consult your local or	regional authorities.			

Section 14. Transport Information				
DOT Classification	Not regulated by Ground Transportation (49 CFR)			
Marine Pollutant	Not available.			
Hazardous Substances	Not available.			
Reportable Quantity				
Special Provisions for	cial Provisions for Keep container tightly closed. Store away from heat, sparks, open flame.			
Transport				
TDG Classification	TDG (Canada) Information not available.			
ADR/RID Classification	ADR (Europe) Information not available.			
IMO/IMDG Classification	IMDG Information not available.			
ICAO/IATA Classification	Not Regulated			

Label requirements				
Hazardous Material Information System (U.S.A.)	Health	2	National Fire	Health 2 Reactivity
	riioriazara	2	Protection	
		0	•	
	Personal Protection		(U.S.A.)	Specific Hazar
References				<b>,</b>
Other Special				
Considerations				
Notice to Reader				