

Effective Date: March 18,2016

Product Name: Ultra High DefTM MOM HRP Kit

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	Ultra High Def [™] MOM HRP Kit
Cat ##	P1-MOM-2.5HRP
Components	Kit Component
	Ultra High Def Peroxidase Block
	2. Mouse on Mouse Blocking Reagent
	3. Ultra High Def Polymer Mouse HRP
	4. Ultra High Def DAB (Buffer & Chromogen)

Version: 1.0

1.2 Manufactured For:

StatLab Medical Products 2090 Commerce Drive McKinney, TX 75069 (800) 442-3573 statlab.com

1.3 Emergency telephone number

Chemtrec: 800-424-9300 (USA & Canada) Chemtrec: 703-527-3987 (international) Non-transport: 972-436-1010 (USA)

Component #1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	Ultra High Def Peroxidase Block
Components	Proclin 300™, Hydrogen Peroxide, Hydrochloric Acid
EC	613-167-00-5, 231-765-0, 231-585-7
CAS	55965-84-9, 7722-84-1, 7647-01-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Liquid in plastic bottle.

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

Hazard Class	Category	Category	Hazard Statements (H-Statements)



Effective Date: March 18, 2016

Product Name: Ultra High DefTM MOM HRP Kit

N/A	N/A	N/A This product has been classified as non-	
			hazardous based on the physical and/or
			chemical nature and/or concentration of
			ingredients.

Version: 1.0

2.2 Label elements

Signal Word	Warning
Pictogram	<u>(1)</u>
H-Statements	N/A
P-Statements	N/A
EUH-Statements	N/A

2.3 Other hazards

N/A

SECTION 3: Composition/information on ingredients

Name	Identifiers	Classification according to CLP	Classification (for pure substances)
			substances)
Proclin 300™	EC: 613-167-00-5	Concentration: <0.1%	R43
	CAS: 55965-84-9		
Hydrogen	EC: 231-765-0	Concentration: <5%	N/A
Peroxide	CAS: 7722-84-1		
Hydrochloric	EC: 231-585-7	Concentration: <0.05%	N/A
Acid	CAS: 7647-01-0		

SECTION 4: First aid measures

4.1 Description of first aid measures

· .	
If inhaled	Move to well-ventilated area and keep at rest in a position comfortable for
	breathing. If individual is not breathing, begin artificial respiration immediately and
	obtain medical attention.
If on skin	Immediately flush with copious amounts of water for at least 15 minutes. Remove
	contaminated clothing and shoes. If pain or irritation occurs, obtain medical
	attention.
If in eyes	Immediately wash eyes gently under running water for 15 minutes or longer,
	making sure that the eyelids are held open. If pain or irritation occurs, obtain
	medical attention.
If swallowed	Rinse mouth with water. Remove victim to fresh air and keep at rest in a position



Effective Date: March 18, 2016

Product Name: Ultra High DefTM MOM HRP Kit

	comfortable for breathing. If the exposed person is conscious, give small quantities		
	of water to drink. Immediately seek medical attention and call poison control		
	center. Do not induce vomiting unless directed to do so by medical personnel.		
Self-protection	N/A		
of the first aider			

Version: 1.0

4.2 Most important symptoms and effects, both acute and delayed

N/A

4.3 Indication of any immediate medical attention and special treatment needed

N/A

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	Extinguish using suitable agents
Unsuitable extinguishing media	N/A

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products	No combustion products posing significant hazards are expected from this product (a dilute aqueous solution).
Other information	N/A

5.3 Advice for firefighters

Wear protective clothing containing self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

<u> </u>	<u> </u>	
	Ensure adequate ventilation	
	Eye Protection: Wear goggles or safety glasses	
Protective equipment	Hand protection: Wear latex or vinyl gloves	
	Other protective equipment: Use lab coat or apron to prevent contact	
	with eyes, skin and clothing	
Emergency procedures N/A		
For emergency responders N/A		

6.2 Environmental precautions

Do not allow to enter sewage system

6.3 Methods and material for containment and cleaning up

For containment	N/A
For cleaning up	Use universal precautions during clean up procedures. As a precautionary
For cleaning up	measure, treat spilled material with a 1:10 bleach/water solution. Use



Effective Date: March 18, 2016

Product Name: Ultra High DefTM MOM HRP Kit

Version: 1.0

	liquid absorbent material to absorb liquid and place in container suitable	
	for disposal. Avoid generation of aerosols during clean up. Comply with	
	applicable waste disposal regulations.	
Other information	N/A	

6.4 Reference to other sections

N/A

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire	N/A
Measures to prevent	N/A
aerosol and dust	
generation	
Measures to protect the	N/A
environment	
Advice on general occupational hygiene	Universal precautions should be followed when using this product. Wear personal protective equipment. Ensure adequate ventilation. Do not breathe vapors or spray mist. Avoid contact with skin and eyes. Do not ingest. Do not eat, drink when handling this product, and wash hands after handling.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions	Store at 2°C to 8°C
Packaging materials	N/A
Requirements for storage rooms and vessels	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
Storage class	N/A
Other information	N/A

7.3 Specific end use(s)

Recommendations	N/A
Industrial sector specific solutions	N/A



Effective Date: March 18, 2016

Product Name: Ultra High DefTM MOM HRP Kit

Version: 1.0

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

8.2 Exposure controls

•			
	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.		
Descripate my Duesto stiere	,		
Respiratory Protection	Respirator selection must be based on known or anticipated exposure		
	levels, the hazards of the product and the safe working limits of the		
	selected respirator		
	Chemical-resistant, impervious gloves complying with an approved		
	standard should be worn at all times when handling chemical products		
	if a risk assessment indicates this is necessary. Considering the		
	parameters specified by the glove manufacturer, check during use that		
Skin and body protection	the gloves are still retaining their protective properties. It should be		
, .	noted that the time to breakthrough for any glove material may be		
	different for different glove manufacturers. In the case of mixtures,		
	consisting of several substances, the protection time of the gloves		
	cannot be accurately estimated.		
	Safety eyewear complying with an approved standard should be used		
	when a risk assessment indicates this is necessary to avoid exposure to		
Eye/face Protection	liquid splashes, mists, gases or dusts. If contact is possible, the		
	following protection should be worn, unless the assessment indicates a		
	higher degree of protection: safety glasses with side-shields.		
	Wash hands, forearms and face thoroughly after handling chemical		
	products, before eating, smoking and using the lavatory and at the end		
	of the working period. Appropriate techniques should be used to		
Hygiene Measures	remove potentially contaminated clothing. Wash contaminated		
	clothing before reusing. Ensure that eyewash stations and safety		
	showers are close to the workstation location.		
	Showers are close to the workstation location.		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Translucent, Liquid	
Odor	Odorless	



Effective Date: March 18, 2016 Version: 1.0

Product Name: Ultra High DefTM MOM HRP Kit

Order Threshold	N/A
pH	2.2
Melting Point/ Freezing Point	N/A
Initial Boiling Point/ Freezing Point	N/A
Flash Point	N/A
Evaporation Rate	N/A
Flammability	N/A
Upper/Lower Flammability or Explosive Limits	N/A
Vapor Pressure	N/A
Vapor Density	N/A
Relative Density	~1g/mL
Solubility	N/A
Partition Coefficient: n-octanol/water	N/A
Auto-Ignition Temperature	N/A
Decomposition temperature	N/A
Viscosity	N/A
Explosive Properties	N/A
Oxidizing Properties	N/A

9.2 Other Information

N/A

Section 10: Stability and Reactivity

10.1 Reactivity

N/A

10.2 Chemical Stability

Stable under recommended storage conditions

10.3 Possibility of Hazardous Reactions

N/A

10.4 Conditions to Avoid

Strong prolonged heat and contact with incompatible materials

10.5 Incompatible Materials

Strong Acids, Strong Bases, Strong Oxidizers, Metals and Metallic compounds

10.6 Hazardous Decomposition Products

N/A



Effective Date: March 18, 2016

Product Name: Ultra High DefTM MOM HRP Kit

SECTION 11: Toxicological Information

Section 11. Toxicological information			
Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg(100%)			
Common route of entry	Ingestion		
	The product contains <0.1% of Proclin 300 [™] which corresponds to		
Potential Effects of Acute	<0.0015% of its active ingredients. At this low final concentration, this		
Exposure	biocidal preservative is irritating to eyes and skin and may be detrimental if		
	enough is ingested (quantities above those found in the kit).		
Potential Effects of	It is a skin sensitizer; prolonged or repeated exposure may cause allergic		
Chronic Exposure	reaction in certain sensitive individuals.		
Symptoms of	Allergic skin reaction		
Overexposure			
Hydrogen Peroxide (in pu	re form): mouse LD50 oral 66667mg/kg		
Common route of entry	Ingestion		
Potential Effects of Acute	otential Effects of Acute N/A		
Exposure			
Potential Effects of	ects of N/A		
Chronic Exposure			
Symptoms of	N/A		
Overexposure			
Hydrochloric Acid (in pure	e form): oral toxicity (LD50): 900 mg/kg [Rabbit]		
Common route of entry	Ingestion		
Potential Effects of Acute	N/A		
Exposure			
Potential Effects of	N/A		
Chronic Exposure	Chronic Exposure		
Symptoms of	N/A		
Overexposure			

Version: 1.0

SECTION 12: Ecological Information

12.1 Toxicity

N/A

12.2 Persistence and Degradability

N/A

12.3 Bioaccumulative potential

N/A

12.4 Mobility in Soil

N/A



Effective Date: March 18, 2016

Product Name: Ultra High Def[™] MOM HRP Kit

12.5 Results of PBT and vPvB Assessment

N/A

12.6 Other Adverse Effects

N/A

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Version: 1.0

SECTION 14: Transport Information

14.1 Un Number

N/A

14.2 Un Proper Shipping Name

N/A

14.3 Transport Hazard Class (es)

N/A

14.4 Packing Group

N/A

14.5 Environmental Hazards

N/A

14.6 Special Precautions for User

N/A

14.7 Transport in Bulk according to Annex II of MARPOL73/78 and the IBC Code

N/A

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



Effective Date: March 18, 2016

Product Name: Ultra High Def[™] MOM HRP Kit

The product does not contain a hazardous ingredient in an amount that requires identification and labeling according to EC directives.

Version: 1.0

15.2 Chemical Safety Assessment

N/A

SECTION 16: Other Information

This information is believed to be accurate and represents the best information currently available to StatLab Medical Products. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information of their

Component #2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	Mouse on Mouse Blocking Agent
Components	Sodium Azide
EC	247-852-1
CAS	26628-22-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Liquid in plastic bottle.

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

Hazard Class	Category	Category	Hazard Statements (H-Statements)	
N/A	N/A	N/A	N/A This product has been classified as non-	
			hazardous based on the physical and/or	
		chemical nature and/or concentration of		
			ingredients.	

2.2 Label elements



Effective Date: March 18, 2016

Product Name: Ultra High DefTM MOM HRP Kit

Signal Word	Warning
Pictogram	
H-Statements	N/A
P-Statements	N/A

N/A

Version: 1.0

2.3 Other hazards

EUH-Statements

N/A

SECTION 3: Composition/information on ingredients

		-		
Name Identifiers		Identifiers	Classification according to CLP	Classification (for pure
				ingredients)
	Sodium Azide	EC: 247-852-1	Concentration: <0.1%	R28, R38, R50/53
		CAS: 26628-22-8		

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	Move to well-ventilated area and seek medical attention if needed. If individual is	
	not breathing, begin artificial respiration immediately and obtain medical attention.	
If on skin	Immediately flush with copious amounts of water for at least 15 minutes. Remove	
	contaminated clothing and shoes. If pain or irritation occurs, obtain medical	
	attention.	
If in eyes	Immediately wash eyes gently under running water for 15 minutes or longer,	
	making sure that the eyelids are held open. If pain or irritation occurs, obtain	
	medical attention.	
If swallowed	Rinse mouth with water. Immediately seek medical attention and call poison	
	control center.	
Self-protection	N/A	
of the first aider		

4.2 Most important symptoms and effects, both acute and delayed

N/A

4.3 Indication of any immediate medical attention and special treatment needed

N/A



Effective Date: March 18, 2016

Product Name: Ultra High DefTM MOM HRP Kit

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	Extinguish using suitable agents
Unsuitable extinguishing media	N/A

Version: 1.0

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products	No combustion products posing significant hazards are expected from this product (a dilute aqueous solution).	
Other information	N/A	

5.3 Advice for firefighters

Wear protective clothing containing self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

or			
Protective equipment	Ensure adequate ventilation		
	Eye Protection: Wear goggles or safety glasses		
	Hand protection: Wear latex or vinyl gloves		
	Other protective equipment: Use lab coat or apron to prevent contact		
	with eyes, skin and clothing		
Emergency procedures	N/A		
For emergency responders	N/A		

6.2 Environmental precautions

Do not allow to enter sewage system

6.3 Methods and material for containment and cleaning up

For containment	N/A
For cleaning up	Use universal precautions during clean up procedures. As a precautionary measure, treat spilled material with a 1:10 bleach/water solution. Use liquid absorbent material to absorb liquid and place in container suitable for disposal. Avoid generation of aerosols during clean up. Comply with applicable waste disposal regulations.
Other information	N/A

6.4 Reference to other sections

N/A

SECTION 7: Handling and storage

7.1 Precautions for safe handling



Effective Date: March 18, 2016

Product Name: Ultra High Def[™] MOM HRP Kit

Measures to prevent fire	N/A
Measures to prevent	N/A
aerosol and dust	
generation	
Measures to protect the	N/A
environment	
Advice on general	Wear personal protective equipment. Ensure adequate ventilation. Do
occupational hygiene	not breathe vapors or spray mist. Avoid contact with skin and eyes. Do
	not ingest. Do not eat, drink when handling this product, and wash hands
	after handling.

Version: 1.0

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions	Store at 2°C to 8°C	
Packaging materials	N/A	
Requirements for storage rooms and vessels	N/A	
Storage class	N/A	
Other information	N/A	

7.3 Specific end use(s)

Recommendations	N/A
Industrial sector specific solutions	N/A

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

8.2 Exposure controls

Respiratory Protection	Use in well-ventilated laboratory	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin	
	exposure	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety	
	goggles	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety	
	practice	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties



Effective Date: March 18, 2016

Product Name: Ultra High DefTM MOM HRP Kit

Appearance	Clear, Liquid
Odor	Odorless
Order Threshold	N/A
рН	N/A
Melting Point/ Freezing Point	N/A
Initial Boiling Point/ Freezing Point	N/A
Flash Point	N/A
Evaporation Rate	N/A
Flammability	N/A
Upper/Lower Flammability or Explosive Limits	N/A
Vapor Pressure	N/A
Vapor Density	N/A
Relative Density	N/A
Solubility	N/A
Partition Coefficient: n-octanol/water	N/A
Auto-Ignition Temperature	N/A
Decomposition temperature	N/A
Viscosity	N/A
Explosive Properties	N/A
Oxidizing Properties	N/A

Version: 1.0

9.2 Other Information

N/A

Section 10: Stability and Reactivity

10.1 Reactivity

N/A

10.2 Chemical Stability

Stable under recommended storage conditions

10.3 Possibility of Hazardous Reactions

N/A

10.4 Conditions to Avoid

Strong prolonged heat and contact with incompatible materials

10.5 Incompatible Materials

Strong Acids

Strong Bases

Strong Oxidizers

Metals and Metallic compounds



Effective Date: March 18, 2016

Product Name: Ultra High DefTM MOM HRP Kit

Sodium Azide forms explosive compounds with heavy metals. Repeated contact of low concentrations of azide with lead and copper commonly found in plumbing drains result in the buildup of shock sensitive compounds.

Version: 1.0

10.6 Hazardous Decomposition Products

N/A

SECTION 11: Toxicological Information

Sodium Azide (in pure form): mouse LD50 oral 27mg/kg (27mg/kg)			
Common route of entry	Ingestion		
Potential Effects of Acute Exposure	Its concentration is low (<0.1%) in this product, but it is highly toxic when ingested in pure form. Overexposure may cause irritation of skin, eyes and mucous membranes, lowered blood pressure and irregular heartbeat. Sodium azide is a chemical asphyxiant and may affect the cardiovascular, respiratory and central nervous systems. Symptoms may include irritation, severe, pounding headaches, dizziness, weakness, nausea, vomiting, low blood pressure, rapid heartbeat, convulsions, collapse and death.		
Potential Effects of			
Chronic Exposure	and nose irritation, low blood pressure, fatigue and dizziness.		
Symptoms of Overexposure	Eye, skin, nose and throat irritation; headache, weakness, dizziness, confusion, nausea and vomiting. This may also lead to difficulty in breathing, irregular heartbeat, reddish colored skin, unconsciousness, convulsions, coma and death. Symptoms may be delayed for several hours after exposure.		

SECTION 12: Ecological Information

12.1 Toxicity

Preservatives normally are toxic for aquatic organisms when using pure substances. No ecological problems are to be expected when this product is handled and used with care and attention.

12.2 Persistence and Degradability

N/A

12.3 Bioaccumulative potential

N/A

12.4 Mobility in Soil

N/A

12.5 Results of PBT and vPvB Assessment



Effective Date: March 18,2016

Product Name: Ultra High Def[™] MOM HRP Kit

N/A			
12.6 Other A	dverse Effects		
NI/A			

Version: 1.0

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

Dispose of waste product, unused product and contaminated packaging in compliance with federal, state and local regulations. If unsure of the applicable requirements, contact the authorities for information.

SECTION 14: Transport Information

14.1 Un Number

N/A

14.2 Un Proper Shipping Name

Ν/Δ

14.3 Transport Hazard Class (es)

N/A

14.4 Packing Group

N/A

14.5 Environmental Hazards

N/A

14.6 Special Precautions for User

N/A

14.7 Transport in Bulk according to Annex II of MARPOL73/78 and the IBC Code

N/A

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The product does not contain a hazardous ingredient in an amount that requires identification and labeling according to EC directives.

15.2 Chemical Safety Assessment



Effective Date: March 18,2016

Product Name: Ultra High Def[™] MOM HRP Kit

N.I	/ A
IN	IΑ

SECTION 16: Other Information

This information is believed to be accurate and represents the best information currently available to StatLab Medical Products. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information of their particular purposes.

Version: 1.0

Component #3

1.1 Product identifier

Trade name	Ultra High Def Polymer Mouse HRP
Components	Proclin 300™
EC	613-167-00-5
CAS	55965-84-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Liquid	reagent
--------	---------

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

Hazard Class	Category	Category	Hazard Statements (H-Statements)
N/A	N/A	N/A	This product has been classified as non-
			hazardous based on the physical and/or
			chemical nature and/or concentration of
			ingredients.

2.2 Label elements

Signal Word	Warning
Pictogram	
H-Statements	N/A
P-Statements	N/A
EUH-Statements	N/A

2.3 Other hazards

N/Δ	
N/A	



Effective Date: March 18, 2016

Product Name: Ultra High DefTM MOM HRP Kit

Version: 1.0

SECTION 3: Composition/information on ingredients

Name	Identifiers	Classification according to CLP	Classification (for pure substance)
Proclin 300™	EC: 613-167-00-5 CAS: 55965-84-9	Concentration: <0.1%	R43

SECTION 4: First aid measures

4.1 Description of first aid measures

	,,
If inhaled	Move to well-ventilated area. If individual is not breathing, begin artificial
	respiration immediately and obtain medical attention.
If on skin	Immediately flush with copious amounts of water for at least 15 minutes. Remove
	contaminated clothing and shoes. If pain or irritation occurs, obtain medical
	attention.
If in eyes	Immediately wash eyes gently under running water for 15 minutes or longer,
-	making sure that the eyelids are held open. If pain or irritation occurs, obtain
	medical attention.
If swallowed	Rinse mouth with water. Immediately seek medical attention and call poison
	control center.
Self-protection	N/A
of the first aider	

4.2 Most important symptoms and effects, both acute and delayed

N/A

4.3 Indication of any immediate medical attention and special treatment needed

N/A

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	Extinguish using suitable agents
Unsuitable extinguishing media	N/A

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products	No combustion products posing significant hazards are
	expected from this product (a dilute aqueous solution).
Other information	N/A

5.3 Advice for firefighters



Effective Date: March 18, 2016

Product Name: Ultra High DefTM MOM HRP Kit

Wear protective clothing containing self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

	· · · · · · · · · · · · · · · · · · ·	
Protective equipment	Ensure adequate ventilation	
	Eye Protection: Wear goggles or safety glasses	
	Hand protection: Wear latex or vinyl gloves	
	Other protective equipment: Use lab coat or apron to prevent contact	
	with eyes, skin and clothing	
Emergency procedures	N/A	
For emergency responders	N/A	

Version: 1.0

6.2 Environmental precautions

Do not allow to enter sewage system

6.3 Methods and material for containment and cleaning up

For containment	N/A
For cleaning up	Use universal precautions during clean up procedures. As a precautionary measure, treat spilled material with a 1:10 bleach/water solution. Use liquid absorbent material to absorb liquid and place in container suitable for disposal. Avoid generation of aerosols during clean up. Comply with applicable waste disposal regulations.
Other information	N/A

6.4 Reference to other sections

N/A

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire	N/A
Measures to prevent	N/A
aerosol and dust	
generation	
Measures to protect the	N/A
environment	
Advice on general	Universal precautions should be followed when using this product. Wear
occupational hygiene	personal protective equipment. Ensure adequate ventilation. Do not
	breathe vapors or spray mist. Avoid contact with skin and eyes. Do not
	ingest. Do not eat, drink when handling this product, and wash hands



Effective Date: March 18, 2016

Product Name: Ultra High Def[™] MOM HRP Kit

Version: 1.0

_	
aftar	handling
anter	handling.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions	Store at 2°C to 8°C
Packaging materials	N/A
Requirements for storage rooms and vessels	N/A
Storage class	N/A
Other information	N/A

7.3 Specific end use(s)

Recommendations	N/A
Industrial sector specific solutions	N/A

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

8.2 Exposure controls

Respiratory Protection	Use in well-ventilated laboratory
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin
	exposure
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety
	goggles
Hygiene Measures	Handle in accordance with good industrial hygiene and safety
	practice

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Liquid
Odor	N/A
Order Threshold	N/A
рН	N/A
Melting Point/ Freezing Point	N/A
Initial Boiling Point/ Freezing Point	N/A
Flash Point	N/A
Evaporation Rate	N/A
Flammability	N/A



Effective Date: March 18, 2016 Version: 1.0

Product Name: Ultra High DefTM MOM HRP Kit

Upper/Lower Flammability or Explosive Limits	N/A
Vapor Pressure	N/A
Vapor Density	N/A
Relative Density	~1g/mL
Solubility	N/A
Partition Coefficient: n-octanol/water	N/A
Auto-Ignition Temperature	N/A
Decomposition temperature	N/A
Viscosity	N/A
Explosive Properties	N/A
Oxidizing Properties	N/A

9.2 Other Information

N/A

Section 10: Stability and Reactivity

10.1 Reactivity

N/A

10.2 Chemical Stability

Stable under recommended storage conditions

10.3 Possibility of Hazardous Reactions

N/A

10.4 Conditions to Avoid

Strong prolonged heat and contact with incompatible materials

10.5 Incompatible Materials

Strong Acids, Strong Bases, Strong Oxidizers, Metals and Metallic compounds

10.6 Hazardous Decomposition Products

N/A

SECTION 11: Toxicological Information

Proclin 300™ (in pure form): LD50 (oral-rat): 3600 mg/kg(100%)		
Common route of entry Ingestion		
	The product contains <0.1% of Proclin 300 [™] which corresponds to	
Potential Effects of Acute	<0.0015% of its active ingredients. At this low final concentration, this	
Exposure	biocidal preservative is irritating to eyes and skin and may be detrimental if	
	enough is ingested (quantities above those found in the kit).	



Effective Date: March 18, 2016 Version: 1.0

Product Name: Ultra High Def[™] MOM HRP Kit

Potential Effects of	It is a skin sensitizer; prolonged or repeated exposure may cause allergic	
Chronic Exposure	reaction in certain sensitive individuals.	
Symptoms of Allergic skin reaction		
Overexposure		

SECTION 12: Ecological Information

12.1 Toxicity

Preservatives normally are toxic for aquatic organisms when using pure substances. No ecological problems are to be expected when this product is handled and used with care and attention.

12.2 Persistence and Degradability

N/A

12.3 Bioaccumulative potential

N/A

12.4 Mobility in Soil

N/A

12.5 Results of PBT and vPvB Assessment

N/A

12.6 Other Adverse Effects

N/A

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

Dispose of waste product, unused product and contaminated packaging in compliance with federal, state and local regulations. If unsure of the applicable requirements, contact the authorities for information.

SECTION 14: Transport Information

14.1 Un Number

N/A

14.2 Un Proper Shipping Name

N/A

14.3 Transport Hazard Class (es)

N/A



Effective Date: March 18, 2016

Product Name: Ultra High Def[™] MOM HRP Kit

14.4 Packing Group

N/A

14.5 Environmental Hazards

N/A

14.6 Special Precautions for User

N/A

14.7 Transport in Bulk according to Annex II of MARPOL73/78 and the IBC Code

Version: 1.0

N/A

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The product does not contain a hazardous ingredient in an amount that requires identification and labeling according to EC directives.

15.2 Chemical Safety Assessment

N/A

SECTION 16: Other Information

This information is believed to be accurate and represents the best information currently available to StatLab Medical Products. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information of their particular purposes.

Component #4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	Ultra High Def DAB (Buffer & Chromogen)	
Components	3,3'-Diaminobenzidine Tetrahydrochloride Hydrate, Imidazole, Tween-20	
EC 231-018-9, 206-019-2, 500-018-3		
CAS	868272-85-9, 288-32-4, 9005-64-45	



Effective Date: March 18, 2016

Product Name: Ultra High DefTM MOM HRP Kit

1.2 Relevant identified uses of the substance or mixture and uses advised against

Version: 1.0

Liquid reagents represented by two components: Buffer and Chromogen.

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

UHD MOM Chromogen			
	Hazard Class	Category	Hazard Statements (for pure substances)
3,3'-Diaminobenzidin	Carcinogenicity	1B	H350 – May cause cancer
e Tetrahydrochloride	Germ Cell	2	H341 – Suspected of causing genetic defects
Hydrate	Mutagenicity		R45 – My cause cancer
			R68 – Possible risk of irreversible effects
UHD MOM Buffer			
	Hazard Class Category Hazard Statements (for pure substances)		
Imidazole	N/A	N/A	R22 – Harmful if swallowed
			R34 – Causes burns
			R61 – May cause harm to the unborn child
Tween-20	N/A	N/A	R36 – Irritating to eyes
			R38 – Irritating to skin

2.2 Label elements

Signal Word	Danger
Pictogram	
H-Statements	N/A
P-Statements	N/A
EUH-Statements	N/A

2.3 Other hazards

N/A

SECTION 3: Composition/information on ingredients

UHD MOM Chromogen			
Name	Identifiers	Classification according to	Classification (for



Effective Date: March 18, 2016
Product Name: Ultra High DefTM MOM HRP Kit

		CLP	pure substances)
3,3'-Diaminobenzidine	EC: 231-018-9	Concentration: 1-<5%	H341, H350
Tetrahydrochloride	CAS:868272-85-9		R45, R68
Hydrate			
UHD MOM Buffer			
Name	Identifiers	Classification according to	Classification (for
		CLP	pure substances)
Imidazole	EC: 206-019-2	Concentration: 0.1-<0.5%	R22, R34, R61
	CAS: 288-32-4		
Tween-20	EC: 500-018-3	Concentration: <0.15 %	R36, R38
	CAS: 9005-64-45		

Version: 1.0

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	Get medical attention immediately. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing
	such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
If on skin	Remove contaminated clothing and wash skin thoroughly. Get medical attention. Wash clothing and clean shoes thoroughly before reuse.
If in eyes	Thoroughly flush the eyes with large amounts of clean low-pressure water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. If irritation persists, seek medical attention.
If swallowed	Get medical attention immediately. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Self-protection	No action shall be taken involving any personal risk or without suitable training. If it



Effective Date: March 18, 2016

Product Name: Ultra High Def[™] MOM HRP Kit

of the first aider	is suspected that fumes are still present, the rescuer should wear an appropriate
	mask or self-contained breathing apparatus. It may be dangerous to the person
	providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing
	thoroughly with water before removing it, or wear gloves.

Version: 1.0

4.2 Most important symptoms and effects, both acute and delayed

N/A

4.3 Indication of any immediate medical attention and special treatment needed

N/A

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	Extinguish using suitable agents
Unsuitable extinguishing media	N/A

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products	N/A
Other information	N/A

5.3 Advice for firefighters

Wear protective clothing containing self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Protective equipment	Ensure adequate ventilation	
	Eye Protection: Wear goggles or safety glasses	
	Hand protection: Wear latex or vinyl gloves	
	Other protective equipment: Use lab coat or apron to prevent contact	
	with eyes, skin and clothing	
Emergency procedures	N/A	
For emergency responders	If specialized clothing is required to deal with the spillage, take note of	
	any information in Section 8 on suitable and unsuitable materials.	

6.2 Environmental precautions

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

For containment	N/A
For cleaning up	Stop leak if without risk. Move containers from spill area. Dilute with



Effective Date: March 18, 2016

Product Name: Ultra High DefTM MOM HRP Kit

Version: 1.0

	water and mop up if water-soluble. If water-insoluble, absorb with and inert dry absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal. Comply with applicable waste
	disposal regulations.
Other information	N/A

6.4 Reference to other sections

N/A

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire	N/A
Measures to prevent	N/A
aerosol and dust	
generation	
Measures to protect the	N/A
environment	
Advice on general	Wear personal protective equipment. Ensure adequate ventilation. Do
occupational hygiene	not eat, drink and smoke in areas where this product is handled, stored
	and processed. Wash hands and face after handling the product. Remove
	contaminated clothing and protective equipment before entering eating
	areas.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions	Store at 2°C to 8°C
Packaging materials	N/A
Requirements for storage rooms and vessels	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials, food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
Storage class	N/A
Other information	N/A

7.3 Specific end use(s)

Recommendations	N/A
Industrial sector specific solutions	N/A



Effective Date: March 18, 2016

Product Name: Ultra High DefTM MOM HRP Kit

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

N/A

8.2 Exposure controls

0.2 Exposure controls		
Respiratory Protection	Use a properly fitted, air-purifying or air-fed respirator	
	complying with an approved standard if a risk assessment	
	indicates this is necessary. Respirator selection must be based	
	on known or anticipated exposure levels, the hazards of the	
	product and the safe working limits of the selected respirator.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure. Use proper glove removal technique (without	
	touching glove's outer surface) to avoid skin contact with this	
	product. Wash and dry hands.	
Eye/face Protection	Safety eyewear complying with an approved standard should be	
	used when a risk assessment indicates this is necessary to avoid	
	exposure to liquid splashes, mists, gases or dusts. If contact is	
	possible, the following protection should be worn, unless the	
	assessment indicates a higher degree of protection: safety	
	glasses with side-shields.	
Hygiene Measures	Wash hands, forearms and face thoroughly after handling	
	chemical products, before eating, smoking and using the	
	lavatory and at the end of the working period. Appropriate	
	techniques should be used to remove potentially contaminated	
	clothing. Wash contaminated clothing before reusing. Ensure	
	that eyewash stations and safety showers are close to the	
	workstation location.	

Version: 1.0

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Liquid	
Odor	N/A	
Order Threshold	N/A	
рН	N/A	
Melting Point/ Freezing Point	N/A	
Initial Boiling Point/ Freezing Point	N/A	



Effective Date: March 18, 2016 Version: 1.0

Product Name: Ultra High DefTM MOM HRP Kit

Flash Point	N/A
Evaporation Rate	N/A
Flammability	N/A
Upper/Lower Flammability or Explosive Limits	N/A
Vapor Pressure	N/A
Vapor Density	N/A
Relative Density	~1g/mL
Solubility	N/A
Partition Coefficient: n-octanol/water	N/A
Auto-Ignition Temperature	N/A
Decomposition temperature	N/A
Viscosity	N/A
Explosive Properties	N/A
Oxidizing Properties	N/A

9.2 Other Information

N/A

Section 10: Stability and Reactivity

10.1 Reactivity

N/A

10.2 Chemical Stability

Stable under recommended storage conditions

10.3 Possibility of Hazardous Reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to Avoid

Light sensitive. Keep away from heat. Protect from moisture.

10.5 Incompatible Materials

Oxidizing agents

10.6 Hazardous Decomposition Products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

UHD MOM Chromogen

3,3'-Diaminobenzidine Tetrahydrochloride Hydrate



Effective Date: March 18, 2016

Product Name: Ultra High DefTM MOM HRP Kit

Common routes of entry	Oral, Dermal, Inhalation				
Potential Effects of Acute Exposure	0 · p · · · · · · · · · · · · · · · · ·				
Potential Effects of	May cause cancer. Risk of cancer depends on duration and level of				
Chronic Exposure	exposure. May cause heritable genetic effects.				
Symptoms of	N/A				
Overexposure					
UHD MOM Buffer					
Imidazole (in pure form): ORAL (LD50): Acute: 220 mg/kg [Rat].					
Common routes of entry	Ingestion, Eye contact, Inhalation				
Potential Effects of Acute Exposure	Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.				
Potential Effects of	Very hazardous in case of skin contact (irritant), of eye contact (irritant), of				
Chronic Exposure	ingestion, of inhalation				
Symptoms of	N/A				
Overexposure					
	mouse LD50 oral > 33gm/kg (33000mg/kg)				
Common route of entry	Ingestion				
Potential Effects of Acute	Mild skin irritation				
Exposure					
Potential Effects of	N/A				
Chronic Exposure					
Symptoms of	N/A				
Overexposure					

Version: 1.0

SECTION 12: Ecological Information

12.1 Toxicity

N/A

12.2 Persistence and Degradability

N/A

12.3 Bioaccumulative potential

N/A



Effective Date: March 18, 2016

Product Name: Ultra High Def[™] MOM HRP Kit

12.4 Mobility in Soil

N/A

12.5 Results of PBT and vPvB Assessment

N/A

12.6 Other Adverse Effects

N/A

SECTION 13: Disposal Considerations

13.1 Waste Treatment Methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Version: 1.0

SECTION 14: Transport Information

14.1 Un Number

N/A

14.2 Un Proper Shipping Name

N/A

14.3 Transport Hazard Class (es)

N/A

14.4 Packing Group

N/A

14.5 Environmental Hazards

N/A

14.6 Special Precautions for User

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in Bulk according to Annex II of MARPOL73/78 and the IBC Code

N/A



Effective Date: March 18, 2016

Product Name: Ultra High Def[™] MOM HRP Kit

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Product/ingredient	Carcinogenic	Mutagenic	Developmental	Fertility effects
name	effects	effects	effects	
3,3'-Diaminobenzidine	Carc. 1B, H350	Muta. 2, H341	N/A	N/A
Tetrahydrochloride				
Hydrate				

Version: 1.0

15.2 Chemical Safety Assessment

N/A

SECTION 16: Other Information

This information is believed to be accurate and represents the best information currently available to StatLab Medical Products. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information of their particular purposes.