



# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 01/22/2018

Revision Date 01/22/2018

### 1 Identification of the Substance/Mixture and Company

**Product Name:** Oxidizer Solution

**SDS Code:** SSAHO12

**Product Description:** Kit Component

**Manufacturer/Supplier:**

American MasterTech  
1330 Thurman Street  
Lodi, CA 95240  
USA  
(800) 860-4073

**European Authorized Representative:**

Emergo Europe  
Prinsessegracht 20  
2514 AP The Hague,  
The Netherlands

**Emergency Telephone Number:** Infotrac (800) 535-5053 (24 hours) - International (011) 352-323-3500

### 2 Hazards Identification

**Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 1A H350 May cause cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

STOT SE 3 H335 May cause respiratory irritation.

**Label elements**

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 01/22/2018

Revision Date 01/22/2018

---

**Product Name: Oxidizer Solution**


---

**Hazard pictograms**

GHS02 GHS05 GHS07 GHS08

**Signal word** Danger**Hazard-determining components of labeling:**

ethanol  
phenol  
hydrogen chloride  
formic acid

**Hazard statements**

Highly flammable liquid and vapor.  
Harmful if swallowed.  
Causes severe skin burns and eye damage.  
Suspected of causing genetic defects.  
May cause cancer.  
May cause respiratory irritation.  
May cause damage to organs through prolonged or repeated exposure.

**Precautionary statements**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Ground/bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting/equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Do not breathe dusts or mists.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/protective clothing/eye protection/face protection.  
If swallowed: Call a poison center/doctor if you feel unwell.  
If swallowed: Rinse mouth. Do NOT induce vomiting.  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If exposed or concerned: Get medical advice/attention.  
Immediately call a poison center/doctor.  
Get medical advice/attention if you feel unwell.  
Specific treatment (see on this label).  
Wash contaminated clothing before reuse.  
In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.  
Store in a well-ventilated place. Keep container tightly closed.  
Store in a well-ventilated place. Keep cool.  
Store locked up.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 01/22/2018

Revision Date 01/22/2018

---

**Product Name: Oxidizer Solution**


---

**Classification system:****NFPA ratings (scale 0 - 4)**

Health = 3

Fire = 3

Reactivity = 0

**HMIS-ratings (scale 0 - 4)**

Health = \*3

Fire = 3

Reactivity = 0

**Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

---

### 3 Composition

**Chemical characterization: Mixtures****Description:** Mixture of the substances listed below with nonhazardous additions.**Dangerous components:**

|           |                   |         |
|-----------|-------------------|---------|
| 64-17-5   | ethanol           | 50-100% |
| 7647-01-0 | hydrogen chloride | <20%    |
| 108-95-2  | phenol            | <20%    |
| 64-18-6   | formic acid       | <20%    |

---

### 4 First Aid Measures

**Description of first aid measures****General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

**After inhalation:** In case of unconsciousness place patient stably in side position for transportation.**After skin contact:** Immediately wash with water and soap and rinse thoroughly.**After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.**After swallowing:**

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

**Information for doctor:****Most important symptoms and effects, both acute and delayed:** No further relevant information available.**Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

---

### 5 Firefighting Measures

**Extinguishing media****Suitable extinguishing agents:**CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**Special hazards arising from the substance or mixture:** No further relevant information available.

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 01/22/2018

Revision Date 01/22/2018

---

**Product Name: Oxidizer Solution**


---

**Advice for firefighters****Protective equipment:** No special measures required.

## 6 Accidental Release Measures

**Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

**Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**Protective Action Criteria for Chemicals****PAC-1:**

|           |                   |           |
|-----------|-------------------|-----------|
| 64-17-5   | ethanol           | 1,800 ppm |
| 7647-01-0 | hydrogen chloride | 1.8 ppm   |
| 108-95-2  | phenol            | 15 ppm    |
| 64-18-6   | formic acid       | 3 ppm     |

**PAC-2:**

|           |                   |           |
|-----------|-------------------|-----------|
| 64-17-5   | ethanol           | 3300* ppm |
| 7647-01-0 | hydrogen chloride | 22 ppm    |
| 108-95-2  | phenol            | 23 ppm    |
| 64-18-6   | formic acid       | 25 ppm    |

**PAC-3:**

|           |                   |            |
|-----------|-------------------|------------|
| 64-17-5   | ethanol           | 15000* ppm |
| 7647-01-0 | hydrogen chloride | 100 ppm    |
| 108-95-2  | phenol            | 200 ppm    |
| 64-18-6   | formic acid       | 250 ppm    |

---

## 7 Handling and Storage

**Handling:****Precautions for safe handling:** Ensure good ventilation/exhaustion at the workplace.**Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

**Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** Store in a cool location.

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 01/22/2018

Revision Date 01/22/2018

---

**Product Name: Oxidizer Solution**


---

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:**

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

**Specific end use(s):** No further relevant information available.

---

## 8 Exposure Controls/Personal Protection

**Additional information about design of technical systems:** No further data; see item 7.

**Control parameters**

**Components with limit values that require monitoring at the workplace:**

**64-17-5 ethanol**

PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

TLV Short-term value: 1880 mg/m<sup>3</sup>, 1000 ppm

**7647-01-0 hydrogen chloride**

PEL Ceiling limit value: 7 mg/m<sup>3</sup>, 5 ppm

REL Ceiling limit value: 7 mg/m<sup>3</sup>, 5 ppm

TLV Ceiling limit value: 2.98 mg/m<sup>3</sup>, 2 ppm

**108-95-2 phenol**

PEL Long-term value: 19 mg/m<sup>3</sup>, 5 ppm  
Skin

REL Long-term value: 19 mg/m<sup>3</sup>, 5 ppm  
Ceiling limit value: 60\* mg/m<sup>3</sup>, 15.6\* ppm  
\*15-min; Skin

TLV Long-term value: 19 mg/m<sup>3</sup>, 5 ppm  
Skin; BEI

**64-18-6 formic acid**

PEL Long-term value: 9 mg/m<sup>3</sup>, 5 ppm

REL Long-term value: 9 mg/m<sup>3</sup>, 5 ppm

TLV Short-term value: 19 mg/m<sup>3</sup>, 10 ppm  
Long-term value: 9.4 mg/m<sup>3</sup>, 5 ppm

**Ingredients with biological limit values:**

**108-95-2 phenol**

BEI 250 mg/g creatinine  
Medium: urine  
Time: end of shift  
Parameter: Phenol with hydrolysis (background, nonspecific)

**Additional information:** The lists that were valid during the creation were used as basis.

**Exposure controls:**

**Personal protective equipment:**

**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 01/22/2018

Revision Date 01/22/2018

---

**Product Name: Oxidizer Solution**


---

Store protective clothing separately.  
 Avoid contact with the eyes.  
 Avoid contact with the eyes and skin.

**Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** Tightly sealed goggles

---

## 9 Physical and Chemical Properties

| <b>Information on basic physical and chemical properties</b> |  |
|--|--|
| <b>General Information</b>                                   |  |
| <b>Appearance</b>  |  |
| <b>Form:</b>   | Liquid   |
| <b>Color:</b>  | Colorless  |
| <b>Odor:</b>   | Phenol-like  |
| <b>Odor threshold:</b>                                       | Not determined.  |
| <b>pH-value:</b>   | Not determined.  |
| <b>Change in condition</b>                                   |  |
| <b>Melting point/Melting range:</b>                          | Undetermined.  |
| <b>Boiling point/Boiling range:</b>                          | 78 °C (172.4 °F)   |
| <b>Flash point:</b>  | 13 °C (55.4 °F)  |
| <b>Flammability (solid, gaseous):</b>                        | Not applicable.  |
| <b>Ignition temperature:</b>                                 | 425 °C (797 °F)  |
| <b>Decomposition temperature:</b>                            | Not determined.  |
| <b>Auto igniting:</b>  | Product is not selfigniting.   |
| <b>Danger of explosion:</b>                                  | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
| <b>Explosion limits:</b>                                     |  |
| <b>Lower:</b>  | 1.3 Vol %  |
| <b>Upper:</b>  | 33 Vol %   |
| <b>Vapor pressure at 20 °C (68 °F):</b>                      | 59 hPa (44.3 mm Hg)  |
| <b>Density:</b>  | Not determined.  |

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 01/22/2018

Revision Date 01/22/2018

---

**Product Name: Oxidizer Solution**


---

|   |  |
|---|--|
| <b>Relative density:</b>                        | Not determined.                            |
| <b>Vapour density:</b>                          | Not determined.                            |
| <b>Evaporation rate:</b>                        | Not determined.                            |
| <b>Solubility in / Miscibility with Water:</b>  | Fully miscible.                            |
| <b>Partition coefficient (n-octanol/water):</b> | Not determined.                            |
| <b>Dynamic:</b>                                 | Not determined.                            |
| <b>Kinematic:</b>                               | Not determined.                            |
| <b>Other information:</b>                       | No further relevant information available. |

---

## 10 Stability and Reactivity

**Reactivity:** No further relevant information available.

**Chemical stability:**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions:** No dangerous reactions known.

**Conditions to avoid:** No further relevant information available.

**Incompatible materials:** No further relevant information available.

**Hazardous decomposition products:** No dangerous decomposition products known.

---

## 11 Toxicology Information

**Information on toxicological effects**

**Acute toxicity:**

|   |      |                    |
|---|------|--------------------|
| <b>LD/LC50 values that are relevant for classification:</b> |      |                    |
| <b>108-95-2 phenol</b>                                      |      |                    |
| Oral  | LD50 | 317 mg/kg (rat)    |
| Dermal  | LD50 | 850 mg/kg (rabbit) |
| <b>64-18-6 formic acid</b>                                  |      |                    |
| Oral  | LD50 | 1,100 mg/kg (rat)  |

**Primary irritant effect:**

**On the skin:** Caustic effect on skin and mucous membranes.

**On the eye:**

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

**Sensitization:** No sensitizing effects known.

**Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

**Carcinogenic categories**

|   |         |   |
|---|---------|---|
| <b>IARC (International Agency for Research on Cancer)</b> |         |   |
| 64-17-5   | ethanol | 1 |

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 01/22/2018

Revision Date 01/22/2018

**Product Name: Oxidizer Solution**

|           |                   |   |
|-----------|-------------------|---|
| 7647-01-0 | hydrogen chloride | 3 |
| 108-95-2  | phenol            | 3 |

**NTP (National Toxicology Program)**

None of the ingredients are listed.

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

## 12 Ecological Information

**Toxicity:****Aquatic toxicity:** No further relevant information available.**Persistence and degradability:** No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential:** No further relevant information available.**Mobility in soil:** No further relevant information available.**Additional ecological information:****General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects:** No further relevant information available.

## 13 Disposal Considerations

**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport Information

|                                |  |
|--------------------------------|--|
| <b>UN-Number</b>               | UN2924   |
| <b>DOT, ADR, IMDG, IATA</b>    |  |
| <b>UN proper shipping name</b> | Flammable liquids, corrosive, n.o.s. (Ethanol, Hydrochloric acid)                |
| <b>DOT</b>                     | 2924 Flammable liquids, corrosive, n.o.s. (Ethanol, Hydrochloric acid)           |
| <b>ADR</b>                     | FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), HYDROCHLORIC ACID) |
| <b>IMDG</b>                    | FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL, HYDROCHLORIC ACID)                 |
| <b>IATA</b>                    | FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL, HYDROCHLORIC ACID)                 |



# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014





Review Date 01/22/2018

Revision Date 01/22/2018

---

**Product Name: Oxidizer Solution**


---

|   |                               |
|---|-------------------------------|
| <b>Transport hazard class(es)</b>   |                               |
| <b>DOT</b>  |                               |
|    |                               |
| <b>Class Label</b>  | 3 Flammable liquids<br>3, 8   |
| <b>ADR</b>  |                               |
|    |                               |
| <b>Class Label</b>  | 3 Flammable liquids<br>3+8    |
| <b>IMDG</b>   |                               |
|   |                               |
| <b>Class Label</b>  | 3 Flammable liquids<br>3/8    |
| <b>IATA</b>   |                               |
|  |                               |
| <b>Class Label</b>  | 3 Flammable liquids<br>3 (8)  |
| <b>Packing group<br/>DOT, ADR, IMDG, IATA</b>                                       | II                            |
| <b>Environmental hazards<br/>Marine pollutant:</b>                                  | No                            |
| <b>Special precautions for user:</b>  | Warning: Flammable liquids    |
| <b>Danger code (Kemler):</b>  | 338                           |
| <b>EMS Number:</b>  | F-E,S-C                       |
| <b>Segregation groups</b>   | Acids                         |
| <b>Stowage Category</b>   | B                             |
| <b>Stowage Code</b>   | SW2 Clear of living quarters. |
| <b>Transport in bulk according to Annex II of<br/>MARPOL73/78 and the IBC Code:</b> | Not applicable.               |

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 01/22/2018

Revision Date 01/22/2018

**Product Name: Oxidizer Solution**

|  |   |
|--|---|
| <b>Transport/Additional information:</b> |   |
| <b>DOT</b>                               |   |
| <b>Quantity limitations</b>              | On passenger aircraft/rail: 1 L<br>On cargo aircraft only: 5 L  |
| <b>ADR</b>                               |   |
| <b>Excepted quantities (EQ)</b>          | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| <b>IMDG</b>                              |   |
| <b>Limited quantities (LQ)</b>           | 1L  |
| <b>Excepted quantities (EQ)</b>          | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| <b>UN "Model Regulation":</b>            | UN 2924 FLAMMABLE LIQUIDS, CORROSIVE, N.O.S. (ETHANOL, HYDROCHLORIC ACID), 3 (8), II                            |

### 15 Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture  
SARA

**Section 355 (extremely hazardous substances):**

7647-01-0 | hydrogen chloride

108-95-2 | phenol

**Section 313 (Specific toxic chemical listings):**

7647-01-0 | hydrogen chloride

108-95-2 | phenol

64-18-6 | formic acid

**TSCA (Toxic Substances Control Act):**

All ingredients are listed.

**Proposition 65****Chemicals known to cause cancer:**

None of the ingredients is listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**

64-17-5 | ethanol

**Carcinogenic categories****EPA (Environmental Protection Agency)**

108-95-2 | phenol

D, I

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 01/22/2018

Revision Date 01/22/2018

---

**Product Name: Oxidizer Solution**


---

| TLV (Threshold Limit Value established by ACGIH) |                   |    |
|--|-------------------|----|
| 64-17-5  | ethanol           | A3 |
| 7647-01-0  | hydrogen chloride | A4 |
| 108-95-2   | phenol            | A4 |

| NIOSH-Ca (National Institute for Occupational Safety and Health) |  |
|--|--|
| None of the ingredients are listed.                              |  |

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

**Hazard pictograms**



GHS02    GHS05    GHS07    GHS08

**Signal word** Danger

**Hazard-determining components of labeling:**

ethanol  
phenol  
hydrogen chloride  
formic acid

**Hazard statements**

Highly flammable liquid and vapor.  
Harmful if swallowed.  
Causes severe skin burns and eye damage.  
Suspected of causing genetic defects.  
May cause cancer.  
May cause respiratory irritation.  
May cause damage to organs through prolonged or repeated exposure.

**Precautionary statements**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Ground/bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting/equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Do not breathe dusts or mists.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/protective clothing/eye protection/face protection.  
If swallowed: Call a poison center/doctor if you feel unwell.  
If swallowed: Rinse mouth. Do NOT induce vomiting.  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned: Get medical advice/attention.  
Immediately call a poison center/doctor.  
Get medical advice/attention if you feel unwell.

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 01/22/2018

Revision Date 01/22/2018

**Product Name: Oxidizer Solution**

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

### National regulations:

#### Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

### Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other Information

This information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of the material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

**Department issuing SDS:** Regulatory Department

**Contact:** Phone (800) 860-4073

**Date of preparation / last revision** 01/22/2018 / -

### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Muta. 2: Germ cell mutagenicity – Category 2

Carc. 1A: Carcinogenicity – Category 1A

**SAFETY DATA SHEET**  
**In Accordance with ISO/DIS 11014**

Review Date 01/22/2018

Revision Date 01/22/2018

---

**Product Name: Oxidizer Solution**

---

---

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

**Copyright © 2018-2019 American MasterTech Scientific. All rights reserved.**

No part of these pages may be used for any purpose other than personal use. Therefore, reproduction, modification, storage in a retrieval system or retransmission, in any form or by any means, for reasons other than personal use, is strictly prohibited without prior written permission.

---

— US —