

Review Date 01/23/2018 Revision Date 01/23/2018

## 1 Identification of the Substance/Mixture and Company

Product Name: 95% Reagents Alcohol

SDS Code: SSALREA95

**Product Description:** Solvent

Manufacturer/Supplier: American MasterTech 1330 Thurman Street Lodi, CA 95240

USA

(800) 860-4073

#### **European Authorized Representative:**

Emergo Europe Prinsessegracht 20 2514 AP The Hague, The Netherlands

Emergency Telephone Number: Infotrac (800) 535-5053 (24 hours) - International (011) 352-323-3500

### 2 Hazards Identification

#### Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

## Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms





GHS02

GHS08

#### Signal word Danger

#### Hazard-determining components of labeling:

ethanol

#### **Hazard statements**

Highly flammable liquid and vapor.

May cause cancer.

#### **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

## **SAFETY DATA SHEET**

#### In Accordance with ISO/DIS 11014

Review Date 01/23/2018 Revision Date 01/23/2018

#### **Product Name: 95% Reagents Alcohol**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF exposed or concerned: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## **Classification system:**

#### NFPA ratings (scale 0 - 4)

Health = 1

Fire = 3

Reactivity = 0

#### HMIS-ratings (scale 0 - 4)

Health = 1

Fire = 3

Reactivity = 0

#### Other hazards

#### Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## 3 Composition

**Description:** Mixture of the substances listed below with nonhazardous additions.

Dang	Dangerous components:		
64-1	-5 ethanol	50-100%	
67-63	-0 propan-2-ol	2.5-10%	

### **4 First Aid Measures**

#### **Description of first aid measures**

**After inhalation:** Supply fresh air; consult doctor in case of complaints. **After skin contact:** Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

**After swallowing:** If symptoms persist consult doctor.

**Information for doctor:** 

Most important symptoms and effects, both acute and delayed: No further relevant information available.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

## SAFETY DATA SHEET

#### In Accordance with ISO/DIS 11014

Review Date 01/23/2018 Revision Date 01/23/2018

**Product Name: 95% Reagents Alcohol** 

## **5 Firefighting Measures**

**Extinguishing media** 

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture: No further relevant information available.

Advice for firefighters

Protective equipment: No special measures required.

## **6 Accidental Release Measures**

#### Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

#### **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

#### Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **Protective Action Criteria for Chemicals**

PAC-1:	
64-17-5 ethanol	1,800 ppm
67-63-0 propan-2-ol	400 ppm
PAC-2:	
64-17-5 ethanol	3300* ppm
67-63-0 propan-2-ol	2000* ppm
PAC-3:	
64-17-5 ethanol	15000* ppm
67-63-0 propan-2-ol	12000** ppm

## 7 Handling and Storage

#### Handling:

Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

#### Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep receptacle tightly sealed.

Review Date 01/23/2018 Revision Date 01/23/2018

**Product Name: 95% Reagents Alcohol** 

Store in cool, dry conditions in well sealed receptacles.

**Specific end use(s):** No further relevant information available.

## **8 Exposure Controls/Personal Protection**

Additional information about design of technical systems: No further data; see item 7.

#### **Control parameters**

Comp	Components with limit values that require monitoring at the workplace:			
64-17	64-17-5 ethanol			
PEL	Long-term value: 1900 mg/m³, 1000 ppm			
REL	Long-term value: 1900 mg/m³, 1000 ppm			
TLV	Short-term value: 1880 mg/m³, 1000 ppm			
67-63	67-63-0 propan-2-ol			
PEL	Long-term value: 980 mg/m³, 400 ppm			
l .	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm			
	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI			

#### Ingredients with biological limit values:

#### 67-63-0 propan-2-ol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

**Additional information:** The lists that were valid during the creation were used as basis.

#### **Exposure controls:**

#### **Personal protective equipment:**

#### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

### **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### **Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Review Date 01/23/2018 Revision Date 01/23/2018

**Product Name: 95% Reagents Alcohol** 

#### Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** Tightly sealed goggles

## 9 Physical and Chemical Properties

Information on basic physical and che	emical properties				
General Information					
Appearance					
Form:	Liquid				
Color:	Colorless				
Odor:	Like alcohol				
Odor threshold:	Not determined.				
pH-value:	Not determined.				
Change in condition					
Melting point/Melting range:	Undetermined.				
<b>Boiling point/Boiling range:</b>	78 °C (172.4 °F)				
Flash point:	13 °C (55.4 °F)				
Flammability (solid, gaseous):	Not applicable.				
Ignition temperature:	425 °C (797 °F)				
Decomposition temperature:	Not determined.				
Auto igniting:	Product is not selfigniting.				
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.				
Explosion limits:					
Lower:	3.5 Vol %				
Upper:	15 Vol %				
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)				
Density:	Not determined.				
Relative density:	Not determined.				
Vapour density:	Not determined.				
Evaporation rate:	Not determined.				
Solubility in / Miscibility with					
Water:	Fully miscible.				
Partition coefficient (n-octanol/water)	Partition coefficient (n-octanol/water): Not determined.				
Dynamic:	Not determined.				
Kinematic:	Not determined.				
Other information:	No further relevant information available.				

## 10 Stability and Reactivity

Reactivity: No further relevant information available.

## **SAFETY DATA SHEET**

### In Accordance with ISO/DIS 11014

Review Date 01/23/2018 Revision Date 01/23/2018

**Product Name: 95% Reagents Alcohol** 

**Chemical stability:** 

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

**Possibility of hazardous reactions:** No dangerous reactions known. **Conditions to avoid:** No further relevant information available. **Incompatible materials:** No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicology Information

Information on toxicological effects

Acute toxicity:

Primary irritant effect: On the skin: No irritant effect. On the eye: No irritating effect.

**Sensitization:** No sensitizing effects known. **Additional toxicological information:** 

The product shows the following dangers according to internally approved calculation methods for preparations:

#### Carcinogenic categories

IARC (International Agency for Research on Cancer)				
64-17-5 ethanol	1			
67-63-0 propan-2-ol	3			
NTP (National Toxicology Program)				
None of the ingredients are listed.				
OSHA-Ca (Occupational Safety & Health Administration)				
None of the ingredients are listed.				

## 12 Ecological Information

**Toxicity:** 

Aquatic toxicity: No further relevant information available.

Persistence and degradability: No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

Other adverse effects: No further relevant information available.

## 13 Disposal Considerations

Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations.

Review Date 01/23/2018 Revision Date 01/23/2018

**Product Name: 95% Reagents Alcohol** 

**Recommended cleansing agent:** Water, if necessary with cleansing agents.

on

**UN-Number** 

DOT, ADR, IMDG, IATA UN1170

UN proper shipping name

**DOT** Ethanol ADR 1170 Ethanol

IMDG ETHANOL (ETHYL ALCOHOL)

**IATA** ETHANOL

Transport hazard class(es)

DOT



Class 3 Flammable liquids

Label 3

ADR, IMDG, IATA



Class 3 Flammable liquids

Label

Packing group

DOT, ADR, IMDG, IATA

**Environmental hazards** 

Marine pollutant: No

**Special precautions for user:** Warning: Flammable liquids

Danger code (Kemler): 33
EMS Number: F-E,S-D
Stowage Category A

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

**Transport/Additional information:** 

DOT

Quantity limitations On passenger aircraft/rail: 5 L

On cargo aircraft only: 60 L

**ADR** 

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

Review Date 01/23/2018 Revision Date 01/23/2018

**Product Name: 95% Reagents Alcohol** 

**IMDG** 

Limited quantities (LQ) **Excepted quantities (EQ)**  1L

Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

UN 1170 ETHANOL, 3, II **UN "Model Regulation":** 

## 15 Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture **SARA** 

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

TSCA (Toxic Substances Control Act):

All ingredients are listed.

**Proposition 65** 

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

64-17-5 ethanol

Carcinogenic categories

**EPA (Environmental Protection Agency)** 

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

A3 67-63-0 propan-2-ol A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms





GHS02 GHS08

Signal word Danger

## Revision Date 01/23/2018

Product Name: 95% Reagents Alcohol

#### Hazard-determining components of labeling:

ethanol

#### **Hazard statements**

Review Date 01/23/2018

Highly flammable liquid and vapor.

May cause cancer.

#### **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF exposed or concerned: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### **National regulations:**

#### Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

#### Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other Information

This information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of the material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

Department issuing SDS: Regulatory Department

Contact: Phone (800) 860-4073

Date of preparation / last revision 01/23/2018 / -

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Review Date 01/23/2018 Revision Date 01/23/2018

#### **Product Name: 95% Reagents Alcohol**

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2 Carc. 1A: Carcinogenicity – Category 1A

## Copyright © 2018-2019 American MasterTech Scientific. All rights reserved.

No part of these pages may be used for any purpose other than personal use. Therefore, reproduction, modification, storage in a retrieval system or retransmission, in any form or by any means, for reasons other than personal use, is strictly prohibited without prior written permission.

us —