

# SAFETY DATA SHEET

Creation Date 12-Nov-2014 Revision Date 12-Nov-2014 Revision Number 1

1. Identification

Product Name Type H Paraffin

Cat No.: 8338

Synonyms Low Polymer Tissue Processing Media

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

CompanyEmergency Telephone NumberRichard Allan ScientificChemtrec US: (800) 424-9300

A Subsidiary of Thermo Fisher Scientific Chemtrec EU: 001 (202) 483-7616

4481 Campus Drive Kalamazoo, MI 49008 Tel: (800) 522-7270

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Kidney.

## Label Elements

## **Signal Word**

Warning

## **Hazard Statements**

May cause damage to organs through prolonged or repeated exposure



## **Precautionary Statements**

#### Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

### Response

Get medical attention/advice if you feel unwell

#### Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

.

# 3. Composition / information on ingredients

Component	CAS-No	Weight %		
Paraffin waxes and Hydrocarbon waxes	8002-74-2	75-80		
2,6-Di-tert-butyl-p-cresol	128-37-0	15-18		
Benzene, ethenylmethyl-, polymer with	9017-27-0	5-7		
(1-methylethenyl)benzene				

## 4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if

symptoms occur.

**Ingestion** Do not induce vomiting. Obtain medical attention.

Most important symptoms/effectsNo information available.Notes to PhysicianTreat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable Extinguishing Media No information available

Flash Point > 204.4 °C / > 399.9 °F

**Method -** No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

## **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO2)

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards2 \*10N/A

## 6. Accidental release measures

Personal Precautions Use personal protective equipment. Ensure adequate ventilation. Avoid contact with skin,

eyes and clothing.

**Environmental Precautions** Should not be released into the environment. See Section 12 for additional ecological

information. Avoid release to the environment. Collect spillage.

**Methods for Containment and Clean** Sweep up or vacuum up spillage and collect in suitable container for disposal. **Up** 

## 7. Handling and storage

Handling Wear personal protective equipment. Ensure adequate ventilation. Avoid contact with skin,

eyes and clothing. Avoid ingestion and inhalation.

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Paraffin waxes and Hydrocarbon	TWA: 2 mg/m <sup>3</sup>	(Vacated) TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
waxes			
2,6-Di-tert-butyl-p-cresol	TWA: 2 mg/m <sup>3</sup>	(Vacated) TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Paraffin waxes and Hydrocarbon waxes	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m³ STEL: 6 mg/m³	TWA: 2 mg/m <sup>3</sup>
2,6-Di-tert-butyl-p-cresol	STEL: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

**Engineering Measures** Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Respiratory Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical State Solid Appearance White

Odor No information available
Odor Threshold No information available
pH No information available

Melting Point/Range 55 - 57 °C / 132.8 - 134.6 °F

Boiling Point/Range 315.6 °C / 600 °F
Flash Point > 204.4 °C / > 399.9 °F
Evaporation Rate 0.01 (Butyl Acetate = 1.0)
Flammability (solid.gas) No information available

Flammability or explosive limits

Upper No data available

LowerNo data availableVapor Pressure< 0.1 mmHg</th>

Vapor Density No information available

Relative Density

O.81 @ 25°C

Solubility

Insoluble in water

Partition coefficient; n-octanol/water

Autoignition Temperature

O.81 @ 25°C

Insoluble in water

No data available

No information available

Decomposition Temperature

No information available

Viscosity

No information available

No information available

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Excess heat. Incompatible products.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO<sub>2</sub>), Carbon dioxide (CO<sub>2</sub>)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information**No acute toxicity information is available for this product

Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Mist LC50

Based on ATE data, the classification criteria are not met. ATE > 5 mg/l.

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Paraffin waxes and Hydrocarbon waxes	3750 mg/kg (Rat)	3600 mg/kg (Rabbit)	Not listed
2,6-Di-tert-butyl-p-cresol	890 mg/kg (Rat) >2000 mg/kg (Rat)	2000 mg/kg (Rat)	Not listed

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Irritation** No information available

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Paraffin waxes and Hydrocarbon waxes	8002-74-2	Not listed				
2,6-Di-tert-butyl-p-cres ol	128-37-0	Not listed				
Benzene, ethenylmethyl-, polymer with (1-methylethenyl)benz ene	9017-27-0	Not listed				

Mutagenic Effects No information available

Revision Date 12-Nov-2014 Type H Paraffin

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

No information available. **Teratogenicity** 

STOT - single exposure None known STOT - repeated exposure Kidney

**Aspiration hazard** No information available

Symptoms / effects, both acute and No information available delayed

**Endocrine Disruptor Information** No information available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals. See actual entry in

RTECS for complete information.

# 12. Ecological information

#### **Ecotoxicity**

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
2,6-Di-tert-butyl-p-cresol	EC50 = 0.758 mg/L 96h EC50 = 6 mg/L 72 h	LC50 = 0.199 mg/L 96h	EC50 = 7.82 mg/L 5 min EC50 = 8.57 mg/L 15 min EC50 = 8.98 mg/L 30 min	EC50 >0.31 mg/L 48h

**Persistence and Degradability** No information available

**Bioaccumulation/ Accumulation** No information available.

**Mobility** No information available.

Component	log Pow
2,6-Di-tert-butyl-p-cresol	4.17

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information			
DOT TDG IATA	Not regulated			
<u>TDG</u>	Not regulated			
IATA	Not regulated			
IMDG/IMO_	Not regulated			
15. Regulatory information				

All of the components in the product are on the following Inventory lists: Australia X = listed China Canada The product is classified and labeled according to EC directives or corresponding national laws The product is classified and labeled in accordance with Directive 1999/45/EC TSCA Korea

### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Paraffin waxes and	Х	Χ	-	232-315-6	-		Χ	Χ	Х	Х	Χ
Hydrocarbon waxes											
2,6-Di-tert-butyl-p-cresol	Х	Х	-	204-881-4	-		Χ	Χ	Х	Х	Х

Benzene, ethenylmethyl-,	Х	Х	-	=	-	-	-	Х	Х	Х
polymer with										1
(1-methylethenyl)benzene										1

### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

#### SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act Not applicable

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

### **CERCLA**

Not applicable

## California Proposition 65

This product does not contain any Proposition 65 chemicals

## State Right-to-Know

<u> </u>						
Component	Component Massachusetts		New Jersey Pennsylvania		Rhode Island	
Paraffin waxes and	Х	X	X	-	X	
Hydrocarbon waxes						
2,6-Di-tert-butyl-p-cresol	Χ	Х	Х	=	X	

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade Slight risk, Grade 1

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class D2B Toxic materials



## 16. Other information

Prepared By Regulatory Affairs

Richard Allan Scientific

A Subsidiary of Thermo Fisher Scientific

Tel: (800) 522-7270

 Creation Date
 12-Nov-2014

 Revision Date
 12-Nov-2014

 Print Date
 12-Nov-2014

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

### **Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of SDS**