02/14/2018	Kit Components	
Product code	Description	
SSKTLFB	Luxol Fast Blue Stain Kit	
Components:		
SSKC262	0.05% Lithium Carbonate	
SSAHC04	Cresyl Echt Violet Stain	
SSSTLFB	Luxol Fast Blue Stain	
SSALREA70	70% Reagents Alcohol	



Page 1/7

SAFETY DATA SHEET In Accordance with ISO/DIS 11014

Review Date 02/14/2018

Revision Date 02/07/2018

1 Identification of the Substance/Mixture and Company

Product Name: 0.05% Lithium Carbonate

SDS Code: SSKC262

Product Description: Kit Component

Manufacturer/Supplier:

American MasterTech 1330 Thurman Street Lodi, CA 95240 USA (800) 860-4073

European Authorized Representative:

Emergo Europe Prinsessegracht 20 2514 AP The Hague, The Netherlands

Emergency Telephone Number: Infotrac (800) 535-5053 (24 hours) - International (011) 352-323-3500

2 Hazards Identification

Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

Label elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable **Classification system:** NFPA ratings (scale 0 - 4) Health = 1Fire = 0Reactivity = 0HMIS-ratings (scale 0 - 4) Health = 1Fire = 0Reactivity = 0Other hazards **Results of PBT and vPvB assessment PBT:** Not applicable. vPvB: Not applicable.

3 Composition

Chemical characterization: Mixtures Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components: Not applicable

Review Date 02/14/2018

Product Name: 0.05% Lithium Carbonate

4 First Aid Measures

Description of first aid measures

General information: No special measures required.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed: No further relevant information available.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Firefighting Measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture: No further relevant information available.

Advice for firefighters

Protective equipment: No special measures required.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Not required.

Environmental precautions: Dilute with plenty of water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1:	
554-13-2 lithium carbonate	3.1 mg/m ³
PAC-2:	
554-13-2 lithium carbonate	34 mg/m ³
PAC-3:	
554-13-2 lithium carbonate	210 mg/m ³

7 Handling and Storage

Handling:

Precautions for safe handling: No special measures required.

Information about protection against explosions and fires: No special measures required.

Review Date 02/14/2018

Product Name: 0.05% Lithium Carbonate

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None. Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls:

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment: Not required.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye protection:** Goggles recommended during refilling.

9 Physical and Chemical Properties

Information on basic physical and c General Information	hemical properties
Appearance	
Form:	Liquid
Color:	Colorless
Odor:	Odorless
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)

Review Date 02/14/2018

Product Name: 0.05% Lithium Carbonate

Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.00056 g/cm ³ (8.34967 lbs/gal)
Relative density:	Not determined.
Vapour density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	er): Not determined.
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information:	No further relevant information available.

10 Stability and Reactivity

Reactivity: No further relevant information available.

Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions: No dangerous reactions known.

Conditions to avoid: No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicology Information

Information on toxicological effects Acute toxicity:

Primary irritant effect:

On the skin: No irritant effect.

On the eye: No irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Review Date 02/14/2018

Product Name: 0.05% Lithium Carbonate

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological Information

Toxicity:

Aquatic toxicity: No further relevant information available. Persistence and degradability: No further relevant information available. Behavior in environmental systems: Bioaccumulative potential: No further relevant information available. Mobility in soil: No further relevant information available. Additional ecological information: General notes: Generally not hazardous for water Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects: No further relevant information available.

13 Disposal Considerations

Waste treatment methods: Recommendation: Smaller quantities can be disposed of with household waste. Disposal must be according to official regulations.

Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, ADR, ADN, IMDG, IATA	Not applicable
UN proper shipping name	NT / 1/ 11
DOT, ADR, ADN, IMDG, IATA	Not applicable
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA	
Class	Not applicable
Packing group	
DOT, ADR, IMDG, IATA	Not applicable

Review Date 02/14/2018

Product Name: 0.05% Lithium Carbonate

Environmental hazards	
Marine pollutant:	No
Special precautions for user:	Not applicable.
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code:	Not applicable.
UN "Model Regulation":	Not applicable

15 Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

554-13-2 lithium carbonate

TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

554-13-2 lithium carbonate

Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable

Hazard statements Not applicable

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

This information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users

us —

SAFETY DATA SHEET In Accordance with ISO/DIS 11014

Review Date 02/14/2018

Product Name: 0.05% Lithium Carbonate

are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of the material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

Department issuing SDS: Regulatory Department

Contact: Phone (800) 860-4073 **Date of preparation / last revision** 02/14/2018 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Copyright © 2018-2019 American MasterTech Scientific. All rights reserved.

No part of these pages may be used for any purpose other than personal use. Therefore, reproduction, modification, storage in a retrieval system or retransmission, in any form or by any means, for reasons other than personal use, is strictly prohibited without prior written permission.



Page 1/8

SAFETY DATA SHEET In Accordance with ISO/DIS 11014

Review Date 02/14/2018

Revision Date 01/19/2018

1 Identification of the Substance/Mixture and Company

Product Name: Cresyl Echt Violet Stain

SDS Code: SSAHC04

Product Description: Kit Component

Manufacturer/Supplier:

American MasterTech 1330 Thurman Street Lodi, CA 95240 USA (800) 860-4073

European Authorized Representative: Emergo Europe

Prinsessegracht 20 2514 AP The Hague, The Netherlands

Emergency Telephone Number: Infotrac (800) 535-5053 (24 hours) - International (011) 352-323-3500

2 Hazards Identification

Classification of the substance or mixture



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Hazard pictograms**



Signal word Danger

Hazard-determining components of labeling: ethanol Hazard statements May cause cancer. Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. IF exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

25-50%

SAFETY DATA SHEET In Accordance with ISO/DIS 11014

Review Date 02/14/2018

Revision Date 01/19/2018

Product Name: Cresyl Echt Violet Stain

Classification system: NFPA ratings (scale 0 - 4) Health = 1 Fire = 2 Reactivity = 0 HMIS-ratings (scale 0 - 4) Health = 1 Fire = 2 Reactivity = 0 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

64-17-5 ethanol

4 First Aid Measures

Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed: No further relevant information available.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Firefighting Measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture: No further relevant information available.

Advice for firefighters

Protective equipment: No special measures required.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Not required.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Review Date 02/14/2018

Revision Date 01/19/2018

Product Name: Cresyl Echt Violet Stain

Absorb with Dispose con	Id material for containment and cleaning up: liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). taminated material as waste according to item 13. uate ventilation.	
1	o other sections	
No dangerou	us substances are released.	
	7 for information on safe handling.	
See Section	8 for information on personal protection equipment.	
	13 for disposal information.	
Protective A	Action Criteria for Chemicals	
PAC-1:		
64-17-5	ethanol	1,800 ppm
10510-54-0	Cresyl Violet Acetate	30 mg/m ³
7647-01-0	hydrogen chloride	1.8 ppm
PAC-2:		
64-17-5	ethanol	3300* ppm
10510-54-0	Cresyl Violet Acetate	330 mg/m ³
7647-01-0	hydrogen chloride	22 ppm
PAC-3:		
64-17-5	ethanol	15000* ppm
10510-54-0	Cresyl Violet Acetate 2	2,000 mg/m ³
7647-01-0	hydrogen chloride	100 ppm

7 Handling and Storage

Handling:

Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace. **Information about protection against explosions and fires:** No special measures required.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None.

Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Com	ponents with limit values that require monitoring at the workplace:
64-17	7-5 ethanol
PEL	Long-term value: 1900 mg/m ³ , 1000 ppm
REL	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV	Short-term value: 1880 mg/m ³ , 1000 ppm

Additional information: The lists that were valid during the creation were used as basis.

Review Date 02/14/2018

Product Name: Cresyl Echt Violet Stain

Exposure controls:

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles

9 Physical and Chemical Pro	operties
Information on basic physical and	chemical properties
General Information	
Appearance	
Form:	Liquid
Color:	Dark blue
Odor:	Alcohol-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	15 Vol %

Review Date 02/14/2018

Product Name: Cresyl Echt Violet Stain

Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Density:	Not determined.
Relative density:	Not determined.
Vapour density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	er): Not determined.
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information:	No further relevant information available.

10 Stability and Reactivity

Reactivity: No further relevant information available.

Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions: No dangerous reactions known.

Conditions to avoid: No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicology Information

Information on toxicological effects Acute toxicity: Primary irritant effect: On the skin: No irritant effect. On the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations:

Carcinogenic categories

IARC (Int	ernational Agency for Research on Cancer)	
64-17-5	ethanol	1
7647-01-0	hydrogen chloride	3
NTP (Nati	onal Toxicology Program)	
None of the	e ingredients are listed.	
OSHA-Ca	(Occupational Safety & Health Administration)	
None of the	e ingredients are listed.	
		JS —

Review Date 02/14/2018

Product Name: Cresyl Echt Violet Stain

12 Ecological Information

Toxicity:

Aquatic toxicity: No further relevant information available. Persistence and degradability: No further relevant information available. Behavior in environmental systems: Bioaccumulative potential: No further relevant information available. Mobility in soil: No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects: No further relevant information available.

13 Disposal Considerations

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

U N-Number		
DOT, ADR, ADN, IMDG, IATA	Not applicable	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not applicable	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Packing group DOT, ADR, IMDG, IATA	Not applicable	
Environmental hazards		
Marine pollutant:	No	
Special precautions for user:	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code:	Not applicable.	
UN "Model Regulation":	Not applicable	

Review Date 02/14/2018

Revision Date 01/19/2018

Product Name: Cresyl Echt Violet Stain

15 Regulatory Information

 Safety, health and environmental regulations/legislation specific for the substance or mixture SARA

 Section 355 (extremely hazardous substances):

 7647-01-0
 hydrogen chloride

 Section 313 (Specific toxic chemical listings):

 7647-01-0
 hydrogen chloride

TSCA (Toxic Substances Control Act):

64-17-5 ethanol

7558-80-7 Sodium Phosphate Monobasic

7647-01-0 hydrogen chloride

7732-18-5 water, distilled, conductivity or of similar purity

TSCA new (21st Century Act) (Substances not listed) Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

64-17-5 ethanol

Carcinogenic categories

EPA	(Environmental	Protection	Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

7647-01-0 hydrogen chloride

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Hazard pictograms**



Signal word Danger Hazard-determining components of labeling: ethanol Hazard statements May cause cancer. A3

A4

Review Date 02/14/2018

Product Name: Cresyl Echt Violet Stain

Precautionary statements

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. IF exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations: Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

This information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of the material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

Department issuing SDS: Regulatory Department

Contact: Phone (800) 860-4073 **Date of preparation / last revision** 02/14/2018 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Carc. 1A: Carcinogenicity - Category 1A

Copyright © 2018-2019 American MasterTech Scientific. All rights reserved.

No part of these pages may be used for any purpose other than personal use. Therefore, reproduction, modification, storage in a retrieval system or retransmission, in any form or by any means, for reasons other than personal use, is strictly prohibited without prior written permission.



Page 1/10

SAFETY DATA SHEET In Accordance with ISO/DIS 11014

Review Date 02/14/2018

Revision Date 01/31/2018

1 Identification of the Substance/Mixture and Company

Product Name: Luxol Fast Blue Stain

SDS Code: SSSTLFB

Product Description: Histology Stain

Manufacturer/Supplier:

American MasterTech 1330 Thurman Street Lodi, CA 95240 USA (800) 860-4073

European Authorized Representative: Emergo Europe

Prinsessegracht 20 2514 AP The Hague, The Netherlands

Emergency Telephone Number: Infotrac (800) 535-5053 (24 hours) - International (011) 352-323-3500

2 Hazards Identification

Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



Signal word Danger

Hazard-determining components of labeling: ethanol Hazard statements Highly flammable liquid and vapor. May cause cancer. **Precautionary statements** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Revision Date 01/31/2018

SAFETY DATA SHEET In Accordance with ISO/DIS 11014

Review Date 02/14/2018

Product Name: Luxol Fast Blue Stain

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF exposed or concerned: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 1Fire = 3Reactivity = 0HMIS-ratings (scale 0 - 4) Health = 1Fire = 3Reactivity = 0Other hazards **Results of PBT and vPvB assessment PBT:** Not applicable. vPvB: Not applicable.

3 Composition

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Danger	ous components:	
64-17-5	ethanol	50-100%
67-63-0	propan-2-ol	2.5-10%

4 First Aid Measures

Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed: No further relevant information available.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

Revision Date 01/31/2018

SAFETY DATA SHEET In Accordance with ISO/DIS 11014

Review Date 02/14/2018

Product Name: Luxol Fast Blue Stain

5 Firefighting Measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. **Special hazards arising from the substance or mixture:** No further relevant information available. **Advice for firefighters**

Protective equipment: No special measures required.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1:			
64-17-5	ethanol		1,800 ppm
67-63-0	propan-2-ol		400 ppm
64-19-7	acetic acid		5 ppm
PAC-2:			
64-17-5	ethanol		3300* ppm
67-63-0	propan-2-ol		2000* ppm
64-19-7	acetic acid		35 ppm
PAC-3:			
64-17-5	ethanol	15	5000* ppm
67-63-0	propan-2-ol	12	2000** ppm
64-19-7	acetic acid	25	50 ppm

7 Handling and Storage

Handling:

Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Review Date 02/14/2018

Revision Date 01/31/2018

Product Name: Luxol Fast Blue Stain

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace: 64-17-5 ethanol PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm TLV Short-term value: 1880 mg/m³, 1000 ppm 67-63-0 propan-2-ol PEL |Long-term value: 980 mg/m³, 400 ppm REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m3, 400 ppm TLV Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI Ingredients with biological limit values: 67-63-0 propan-2-ol BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls:

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Review Date 02/14/2018

Revision Date 01/31/2018

Product Name: Luxol Fast Blue Stain

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye protection:** Tightly sealed goggles

9 Physical and Chemical Properties			
Information on basic physical and ch	Information on basic physical and chemical properties		
General Information			
Appearance			
Form:	Liquid		
Color:	Dark blue		
Odor:	Alcohol-like		
Odor threshold:	Not determined.		
pH-value:	Not determined.		
Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	Undetermined.		
Flash point:	13 °C (55.4 °F)		
Flammability (solid, gaseous):	Not applicable.		
Ignition temperature:	425 °C (797 °F)		
Decomposition temperature:	Not determined.		
Auto igniting:	Product is not selfigniting.		
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.		
Explosion limits:			
Lower:	3.5 Vol %		
Upper:	15 Vol %		
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)		
Density:	Not determined.		
Relative density:	Not determined.		
Vapour density:	Not determined.		
Evaporation rate:	Not determined.		
Solubility in / Miscibility with			
Water:	Fully miscible.		
Partition coefficient (n-octanol/water): Not determined.		
Dynamic:	Not determined.		
Kinematic:	Not determined.		
Other information:	No further relevant information available.		
	— 2i1 —		

1

3

US —

SAFETY DATA SHEET In Accordance with ISO/DIS 11014

Review Date 02/14/2018

Product Name: Luxol Fast Blue Stain

10 Stability and Reactivity

Reactivity: No further relevant information available.

Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions: No dangerous reactions known.

Conditions to avoid: No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicology Information

Information on toxicological effects Acute toxicity: Primary irritant effect: On the skin: No irritant effect. On the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

64-17-5 ethanol

67-63-0 propan-2-ol

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological Information

Toxicity:

Aquatic toxicity: No further relevant information available. Persistence and degradability: No further relevant information available. Behavior in environmental systems: Bioaccumulative potential: No further relevant information available. Mobility in soil: No further relevant information available. Additional ecological information: General notes: Not known to be hazardous to water. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects: No further relevant information available.

Review Date 02/14/2018

Revision Date 01/31/2018

Product Name: Luxol Fast Blue Stain

13 Disposal Considerations

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number DOT, ADR, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Ethanol, Isopropanol)
ADR	1993 Flammable liquids, n.o.s. (Ethanol, Isopropanol)
IMDG	FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHO)
ΙΑΤΑ	ISOPROPANOL (ISOPROPYL ALCOHOL)) FLAMMABLE LIQUID, N.O.S. (ETHANOL, ISOPROPANO
	(ISOPROPYL ALCOHOL))
Transport hazard class(es)	
DOT	
PLANMAGE LIQUID	
Class	3 Flammable liquids
Label	3
ADR, IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, ADR, IMDG, IATA	II
Environmental hazards	N.
Marine pollutant:	No
Special precautions for user:	Warning: Flammable liquids
Danger code (Kemler):	33
EMS Number: Stowage Category	F-E, <u>S-E</u> B
Slowage Calegoi y	x II of

Review Date 02/14/2018

Product Name: Luxol Fast Blue Stain

Transport/Additional information	:
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (ETHANO ISOPROPANOL), 3, II

15 Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA

Section 355 (extremely hazardous substances):			
None of the ingredients are listed.			
Section 3	13 (Specific toxic chemical listings):		
67-63-0 p	propan-2-ol		
TSCA (T	oxic Substances Control Act):		
64-17-5	ethanol		
67-63-0	propan-2-ol		
64-19-7	acetic acid		
	water, distilled, conductivity or of similar purity		
TSCA new (21st Century Act) (Substances not listed) Proposition 65			
Chemicals known to cause cancer:			
None of the	ne ingredients is listed.		
Chemical	s known to cause reproductive toxicity for females:		
None of the ingredients are listed.			
Chemicals known to cause reproductive toxicity for males:			
None of the ingredients are listed.			
Chemical	s known to cause developmental toxicity:		
64-17-5 e	64-17-5 ethanol		
Carcinog	Carcinogenic categories		
EPA (Env	EPA (Environmental Protection Agency)		

EPA (Environmental Protection Agency)

None of the ingredients are listed.

A3

A4

SAFETY DATA SHEET In Accordance with ISO/DIS 11014

Review Date 02/14/2018

Product Name: Luxol Fast Blue Stain

64-17-5 ethanol

67-63-0 propan-2-ol

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Hazard pictograms**



Signal word Danger

Hazard-determining components of labeling: ethanol Hazard statements

Highly flammable liquid and vapor. May cause cancer.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF exposed or concerned: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:

Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

This information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for

- US —

SAFETY DATA SHEET In Accordance with ISO/DIS 11014

Review Date 02/14/2018

Product Name: Luxol Fast Blue Stain

injury caused by abnormal use of the material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

Department issuing SDS: Regulatory Department

Contact: Phone (800) 860-4073 **Date of preparation / last revision** 02/14/2018 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit **BEI: Biological Exposure Limit** Flam. Liq. 2: Flammable liquids - Category 2 Carc. 1A: Carcinogenicity - Category 1A

Copyright © 2018-2019 American MasterTech Scientific. All rights reserved.

No part of these pages may be used for any purpose other than personal use. Therefore, reproduction, modification, storage in a retrieval system or retransmission, in any form or by any means, for reasons other than personal use, is strictly prohibited without prior written permission.



Page 1/10

SAFETY DATA SHEET In Accordance with ISO/DIS 11014

Review Date 02/14/2018

Revision Date 01/23/2018

1 Identification of the Substance/Mixture and Company

Product Name: 70% Reagents Alcohol

SDS Code: SSALREA70

Product Description: Laboratory Reagent

Manufacturer/Supplier:

American MasterTech 1330 Thurman Street Lodi, CA 95240 USA (800) 860-4073

European Authorized Representative: Emergo Europe

Prinsessegracht 20 2514 AP The Hague, The Netherlands

Emergency Telephone Number: Infotrac (800) 535-5053 (24 hours) - International (011) 352-323-3500

2 Hazards Identification

Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Hazard pictograms**



Signal word Danger

Hazard-determining components of labeling: ethanol
Hazard statements
Highly flammable liquid and vapor.
May cause cancer.
Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.

Review Date 02/14/2018

Revision Date 01/23/2018

Product Name: 70% Reagents Alcohol

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF exposed or concerned: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 1Fire = 3Reactivity = 0HMIS-ratings (scale 0 - 4) Health = 1Fire = 3Reactivity = 0Other hazards **Results of PBT and vPvB assessment PBT:** Not applicable. vPvB: Not applicable.

3 Composition

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Danger	ous components:	
64-17-5	ethanol	50-100%
67-63-0	propan-2-ol	2.5-10%

4 First Aid Measures

Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed: No further relevant information available.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

Review Date 02/14/2018

Product Name: 70% Reagents Alcohol

5 Firefighting Measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. **Special hazards arising from the substance or mixture:** No further relevant information available. **Advice for firefighters**

Protective equipment: No special measures required.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1:		
64-17-5	ethanol	1,800 ppm
67-63-0	propan-2-ol	400 ppm
PAC-2:		
64-17-5	ethanol	3300* ppm
67-63-0	propan-2-ol	2000* ppm
PAC-3:		
64-17-5	ethanol 1	5000* ppm
67-63-0	propan-2-ol 1	2000** ppm

7 Handling and Storage

Handling:

Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions:

Keep receptacle tightly sealed.

Review Date 02/14/2018

Product Name: 70% Reagents Alcohol

Store in cool, dry conditions in well sealed receptacles. **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Control parameters			
Com	Components with limit values that require monitoring at the workplace:		
64-17	64-17-5 ethanol		
PEL	Long-term value: 1900 mg/m ³ , 1000 ppm		
REL	Long-term value: 1900 mg/m ³ , 1000 ppm		
TLV	Short-term value: 1880 mg/m ³ , 1000 ppm		
67-63	3-0 propan-2-ol		
PEL	Long-term value: 980 mg/m ³ , 400 ppm		
REL	Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm		
TLV	Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm BEI		
Ingre	Ingredients with biological limit values:		
67-63-0 propan-2-ol			
BEI	BEI 40 mg/L		
	Medium: urine		
	Time: end of shift at end of workweek		
	Parameter: Acetone (background, nonspecific)		

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls:

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Review Date 02/14/2018

Product Name: 70% Reagents Alcohol

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye protection:** Tightly sealed goggles

9 Physical and Chemical Properties

Information on basic physical and chemical properties General Information		
Appearance		
Form:	Liquid	
Color:	Colorless	
Odor:	Alcohol-like	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	78 °C (172.4 °F)	
Flash point:	13 °C (55.4 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	425 °C (797 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
Explosion limits:		
Lower:	3.5 Vol %	
Upper:	15 Vol %	
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)	
Density at 20 °C (68 °F):	0.85275 g/cm ³ (7.1162 lbs/gal)	
Relative density:	Not determined.	
Vapour density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/water)		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information:	No further relevant information available.	

10 Stability and Reactivity

Reactivity: No further relevant information available.

Review Date 02/14/2018

Product Name: 70% Reagents Alcohol

Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
Possibility of hazardous reactions: No dangerous reactions known.
Conditions to avoid: No further relevant information available.
Incompatible materials: No further relevant information available.
Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicology Information

Information on toxicological effects Acute toxicity: Primary irritant effect: On the skin: No irritant effect. On the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations:

Carcinogenic categories

IARC (International Agency for Research on Cancer)	
64-17-5 ethanol	1
67-63-0 propan-2-ol	3
NTP (National Toxicology Program)	
None of the ingredients are listed.	
OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients are listed.	

12 Ecological Information

Toxicity:

 Aquatic toxicity: No further relevant information available.

 Persistence and degradability: No further relevant information available.

 Behavior in environmental systems:

 Bioaccumulative potential: No further relevant information available.

 Mobility in soil: No further relevant information available.

 Additional ecological information:

 General notes:

 Water hazard class 1 (Self-assessment): slightly hazardous for water

 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

 Results of PBT and vPvB assessment

 PBT: Not applicable.

 vPvB: Not applicable.

 Other adverse effects: No further relevant information available.

13 Disposal Considerations

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Review Date 02/14/2018

Revision Date 01/23/2018

Product Name: 70% Reagents Alcohol

Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport Information	
UN-Number DOT, ADR, IMDG, IATA	UN1170
UN proper shipping name	
DOT	Ethanol
ADR	1170 Ethanol
IMDG IATA	ETHANOL (ETHYL ALCOHOL) ETHANOL
Transport hazard class(es)	
Class	3 Flammable liquids
Label	3
ADR, IMDG, IATA	
Class Label	3 Flammable liquids 3
Packing group DOT, ADR, IMDG, IATA	Ш
Environmental hazards	
Marine pollutant:	No
Special precautions for user:	Warning: Flammable liquids
Danger code (Kemler):	33
EMS Number: Stowage Category	F-E,S-D A
Transport in bulk according to Annex II o	
MARPOL73/78 and the IBC Code:	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
-	On cargo aircraft only: 60 L
ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml

Review Date 02/14/2018

Revision Date 01/23/2018

Product Name: 70% Reagents Alcohol

IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	
UN "Model Regulation":	UN 1170 ETHANOL, 3, II	

15 Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

64-17-5 ethanol

Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

67-63-0 propan-2-ol

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Hazard pictograms**



Signal word Danger

A3

A4

Review Date 02/14/2018

Product Name: 70% Reagents Alcohol

Hazard-determining components of labeling:
ethanol Hazard statements
Highly flammable liquid and vapor.
May cause cancer.
Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF exposed or concerned: Get medical advice/attention.
In case of fire: Use for extinction: CO2, powder or water spray.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
National regulations:

Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

This information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of the material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

Department issuing SDS: Regulatory Department

Contact: Phone (800) 860-4073 **Date of preparation / last revision** 02/14/2018 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

- US —

SAFETY DATA SHEET In Accordance with ISO/DIS 11014

Review Date 02/14/2018

Revision Date 01/23/2018

Product Name: 70% Reagents Alcohol

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Carc. 1A: Carcinogenicity – Category 1A

Copyright © 2018-2019 American MasterTech Scientific. All rights reserved.

No part of these pages may be used for any purpose other than personal use. Therefore, reproduction, modification, storage in a retrieval system or retransmission, in any form or by any means, for reasons other than personal use, is strictly prohibited without prior written permission.