

### SAFETY DATA SHEET

Creation Date 18-Mar-2014	Revision Date 18-Mar-2014	Revision Number 1
1. Identification		
Product Name	Alcoholic Hematoxylin	
Cat No. :	88007	
Synonyms	No information available.	
Recommended Use	Laboratory chemicals	
Uses advised against	No Information available	
Details of the supplier of the safety data sheet		
<b>Company</b> Richard Allan Scientific A Subsidiary of Thermo Fisher Scientif 4481 Campus Drive	Emergency Telephone Number Chemtrec US: (800) 424-9300ficChemtrec EU: 001 (202) 483-7616	

### 2. Hazard(s) identification

### Classification

Kalamazoo, MI 49008 Tel: (800) 522-7270

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2	
Acute oral toxicity	Category 4	
Acute Inhalation Toxicity - Vapors	Category 4	
Specific target organ toxicity (single exposure)	Category 1	
Target Organs - Optic nerve.		
Specific target organ toxicity - (repeated exposure)	Category 1	

### Label Elements

Signal Word Danger

### **Hazard Statements**

Highly flammable liquid and vapor Harmful if swallowed Harmful if inhaled Causes damage to organs Causes damage to organs through prolonged or repeated exposure



#### Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection Response IF exposed: Call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store locked up Store in a well-ventilated place. Keep cool Disposal Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

### Other hazards

Poison, may be fatal or cause blindness if swallowed. Vapor harmful. Cannot be made non-poisonous. WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

### **3. Composition / information on ingredients**

### Haz/Non-haz

Component	CAS-No	Weight %
Hematoxylin	517-28-2	< 1
Isopropyl alcohol	67-63-0	4 - 5
Ethyl alcohol	64-17-5	85 - 90
Methyl alcohol	67-56-1	4 - 5

	4. First-aid	measures	
ye Contact	Rinse immediately with pler	nty of water, also under the eyel	ids, for at least 15 minutes
kin Contact	Wash off immediately with is required.	plenty of water for at least 15 mi	nutes. Immediate medical attentio
nhalation	if victim ingested or inhaled	ng is difficult, give oxygen. Do n the substance; induce artificial medical attention is required.	ot use mouth-to-mouth resuscitati respiration with a respiratory
ngestion	Do not induce vomiting. Ca	II a physician or Poison Control	Center immediately.
lost important symptoms/effects	Breathing difficulties. Inhala headache, dizziness, tiredn	ation of high vapor concentration ess, nausea and vomiting.	is may cause symptoms like
Notes to Physician	Treat symptomatically.		
	5. Fire-fighti	ng measures	
Insuitable Extinguishing Media	No information available.		
Flash Point	13.9°C / 57°F		
Method -	No information available.		
Autoignition Temperature	No information available.		
Explosion Limits Upper Lower	No data available No data available		
Sensitivity to mechanical	No information available.		
impact Sensitivity to static discharge	No information available.		
Specific Hazards Arising from the Ch Flammable. Risk of ignition. Vapors ma Containers may explode when heated.		h air. Vapors may travel to sour	ce of ignition and flash back.
lazardous Combustion Products	None known		
Protective Equipment and Precautior As in any fire, wear self-contained breat gear		nand, MSHA/NIOSH (approved	or equivalent) and full protective
IFPA Health	Flommohility	Instability	Physical becards
Health 3	Flammability 3	Instability 0	Physical hazards N/A

Personal Precautions	Remove all sources of ignition. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing. Use personal protective equipment.
Environmental Precautions	See Section 12 for additional ecological Information. Do not flush into surface water or sanitary sewer system.
Methods for Containment and Clean Up	Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

7. Handling and storage		
Handling	Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use explosion-proof equipment. Take precautionary measures against static discharges. Use only under a chemical fume hood. Do not breathe vapors/dust. Do not get in eyes, on skin, or on clothing. Do not ingest.	

Storage

Keep away from open flames, hot surfaces and sources of ignition. Flammables area. Keep away from heat and sources of ignition.

### 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	TWA: 200 ppm	(Vacated) TWA: 400 ppm	IDLH: 2000 ppm
	STEL: 400 ppm	(Vacated) TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(Vacated) STEL: 500 ppm	TWA: 980 mg/m <sup>3</sup>
		(Vacated) STEL: 1225 mg/m <sup>3</sup>	STEL: 500 ppm
		TWA: 400 ppm	STEL: 1225 mg/m <sup>3</sup>
		TWA: 980 mg/m <sup>3</sup>	
Ethyl alcohol	STEL: 1000 ppm	(Vacated) TWA: 1000 ppm	IDLH: 3300 ppm
		(Vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		TWA: 1900 mg/m <sup>3</sup>	
Methyl alcohol	TWA: 200 ppm	(Vacated) TWA: 200 ppm	IDLH: 6000 ppm
	STEL: 250 ppm	(Vacated) TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm
	Skin	(Vacated) STEL: 250 ppm	TWA: 260 mg/m <sup>3</sup>
		(Vacated) STEL: 325 mg/m <sup>3</sup>	STEL: 250 ppm
		Skin	STEL: 325 mg/m <sup>3</sup>
		TWA: 200 ppm	
		TWA: 260 mg/m <sup>3</sup>	

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Isopropyl alcohol	TWA: 400 ppm	TWA: 400 ppm	TWA: 200 ppm
	TWA: 985 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>	STEL: 400 ppm
	STEL: 500 ppm	STEL: 500 ppm	
	STEL: 1230 mg/m <sup>3</sup>	STEL: 1225 mg/m <sup>3</sup>	
Ethyl alcohol	TWA: 1000 ppm	TWA: 1000 ppm	STEL: 1000 ppm
·	TWA: 1880 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>	
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
·	TWA: 262 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	STEL: 250 ppm
	STEL: 250 ppm	STEL: 250 ppm	Skin
	STEL: 328 mg/m <sup>3</sup>	STEL: 310 mg/m <sup>3</sup>	
	Skin	5	

Legend ACGIH - American Conference of Industrial Hygiene OSHA - Occupational Safety and Health Administration NIOSH IDLH: Immediately Dangerous to Life or Health

Engineering Measures	Use explosion-proof electrical/ventilating/lighting/equipment. Use only under a chemical fume hood.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure

Respiratory Protection Hygiene Measures	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Handle in accordance with good industrial hygiene and safety practice
9. Physical and chemical properties	
hysical State	Liquid

Purple Characteristic Alcohol-like No information available. No data available 78.5 - 80°C / 173.3 - 176°F 13.9°C / 57°F No information available. No information available.

No data available No data available No information available. No information available. No information available. No data available No information available. No information available. No information available. No information available.

### **10. Stability and reactivity**

Reactive Hazard	None known, based on information available.
Stability	Stable under normal conditions.
Conditions to Avoid	Heat, flames and sparks.
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Products	None under normal use conditions
Hazardous Polymerization	Hazardous polymerization does not occur
Hazardous Reactions	None under normal processing

### **11. Toxicological information**

### Acute Toxicity

Oral LD50	Category 4. ATE = 300 - 2000 mg/kg.
Dermal LD50	Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.
Vapor LC50	Category 4. ATE = 10 - 20 mg/l.

### **Component Information**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropyl alcohol	5840 mg/kg (Rat)	13900 mg/kg (Rat)	72.6 mg/L (Rat)4 h
		12870 mg/kg (Rabbit)	
Ethyl alcohol	7060 mg/kg (Rat)	Not listed	20000 ppm/10H(Rat)

Methyl alcohol	5628 mg/kg (Rat)	15800 mg/kg (Rabbit)	64000 ppm (Rat) 4 h
-			83.2 mg/L (Rat) 4 h

**Toxicologically Synergistic** Products

No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No	information available.
---------------	------------------------

Sensitization No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Hematoxylin	517-28-2	Not listed				
Isopropyl alcohol	67-63-0	Not listed				
Ethyl alcohol	64-17-5	Group 1	Not listed	A3	Х	Not listed
Methyl alcohol	67-56-1	Not listed				

IARC: (International Agency for R ACGIH: (American Conference of Hygienists)	,	IARC: (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen A3 - Animal Carcinogen ACGIH: (American Conference of Governmental Industrial Hygienists)
Mutagenic Effects	No information available.	
Reproductive Effects	No information available.	
Developmental Effects	No information available.	
Teratogenicity	No information available.	
STOT - single exposure	Optic nerve.	
STOT - repeated exposure	None known.	
Aspiration hazard	No information available.	
Symptoms / effects, both acute and delayed	Inhalation of high vapor contraction tiredness, nausea and vol	oncentrations may cause symptoms like headache, dizziness, miting.
Endocrine Disruptor Information	No information available	
Other Adverse Effects	The toxicological propertie	es have not been fully investigated.

### **12. Ecological information**

### Ecotoxicity

.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Isopropyl alcohol	1000 mg/L EC50 > 72 h 1000 mg/L EC50 > 96 h	1400000 μg/L LC50 96 h 9640 mg/L LC50 96 h 11130 mg/L LC50 96 h	= 35390 mg/L EC50 Photobacterium phosphoreum 5 min	13299 mg/L EC50 = 48 h 9714 mg/L EC50 = 24 h

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethyl alcohol	EC50 (72h) = 275 mg/l	Fathead minnow (Pimephales	Photobacterium	EC50 = 9268 mg/L/48h
	(Chlorella vulgaris)	promelas) LC50 = 14200	phosphoreum:EC50 = 34634	EC50 = 10800 mg/L/24h
		mg/l/96h	mg/L/30 min	
		_	Photobacterium	
			phosphoreum:EC50 = 35470	
			mg/L/5 min	
Methyl alcohol	Not listed	Pimephales promelas: LC50	EC50 = 39000 mg/L 25 min	EC50 > 10000 mg/L 24h
-		> 10000 mg/L 96h	EC50 = 40000 mg/L 15 min	-
		-	EC50 = 43000 mg/L 5 min	

Persistence and Degradability

No information available.

Bioaccumulation/ Accumulation No information available

Mobility

Component	log Pow
Isopropyl alcohol	0.05
Ethyl alcohol	-0.32
Methyl alcohol	-0.74

### **13. Disposal considerations**

### Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Methyl alcohol - 67-56-1	U154	-

### **14. Transport information**

DOT

	UN-No Proper Shipping Name Hazard Class Packing Group	UN1170 ETHANOL SOLUTION 3 II
TDG		
	UN-No Proper Shipping Name Hazard Class Packing Group	UN1170 ETHANOL SOLUTION 3 II
ΙΑΤΑ		
	UN-No Proper Shipping Name	UN1170 ETHANOL SOLUTION

### Hazard Class Packing Group

IMDG/IMO	
UN-No	
Proper Shipping Name	

Proper Shipping Name	ETHANOL SOLUTION
Hazard Class	3
Packing Group	II

3

II

UN1170

### **15. Regulatory information**

### **International Inventories**

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	CHINA	KECL
Hematoxylin	Х	Х	-	208-237-3	-		Х	Х	Х	Х	Х
Isopropyl alcohol	Х	Х	-	200-661-7	-		Х	Х	Х	Х	Х
Ethyl alcohol	Х	Х	-	200-578-6	-		Х	Х	Х	Х	Х
Methyl alcohol	Х	Х	-	200-659-6	-		Х	Х	Х	Х	Х

#### Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### **U.S. Federal Regulations**

#### TSCA 12(b)

Not applicable

#### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Isopropyl alcohol	67-63-0	4 - 5	1.0
Methyl alcohol	67-56-1	4 - 5	1.0

#### SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

**Clean Water Act** 

### Not applicable

#### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methyl alcohol	Х		-

**OSHA** Occupational Safety and Health Administration **OSHA** - Occupational Safety and Health Administration

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Methyl alcohol	5000 lb	-

### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Component	CAS-No	California Prop. 65	Prop 65 NSRL
Ethyl alcohol	64-17-5	Developmental	-
Methyl alcohol	67-56-1	Methanol	-

### State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Isopropyl alcohol	Х	Х	Х	-	Х
Ethyl alcohol	Х	Х	Х	-	Х
Methyl alcohol	X	Х	Х	Х	Х

#### **U.S.** Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

### **Other International Regulations**

Mexico - Grade Serious risk, Grade 3

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

#### **WHMIS Hazard Class**

B2 Flammable liquid D1B Toxic materials D2A Very toxic materials



### **16. Other information**


**Prepared By** 

Creation Date Revision Date Print Date Revision Summary Regulatory Affairs Richard Allan Scientific A Subsidiary of Thermo Fisher Scientific Tel: (800) 522-7270

18-Mar-2014

18-Mar-2014 18-Mar-2014 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS). Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.





### SAFETY DATA SHEET

Creation Date 30-Nov-2014

Revision Date 30-Nov-2014

**Revision Number** 1

1. Identification		
Product Name	Ferric Chloride Solution	
Cat No. :	88008	
Synonyms	No information available	
Recommended Use	Laboratory chemicals.	
Uses advised against Details of the supplier of the safety	No Information available afety data sheet	
<b>Company</b> Richard Allan Scientific A Subsidiary of Thermo Fisher Scient 4481 Campus Drive Kalamazoo, MI 49008 Tel: (800) 522-7270	Emergency Telephone Number Chemtrec US: (800) 424-9300 ific Chemtrec EU: 001 (202) 483-7616	

2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious Eye Damage/Eye Irritation Skin Sensitization Specific target organ toxicity - (repeated exposure) Target Organs - Liver, Kidney, Cardiovascular system.

Category 2 Category 1 Category 1

Label Elements

Signal Word Danger

### **Hazard Statements**

May cause an allergic skin reaction Causes serious eye irritation Causes damage to organs through prolonged or repeated exposure



**Precautionary Statements** 

### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

### Response

Get medical attention/advice if you feel unwell

### Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Disposal

Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

None identified

### 3. Composition / information on ingredients

Component	CAS-No	Weight %
Water	7732-18-5	>95
Iron(III) chloride	7705-08-0	1-3

4. First-aid measures		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes.	
Inhalation	Move to fresh air.	
Ingestion	Do not induce vomiting.	
Most important symptoms/effects	May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing	
Notes to Physician	Treat symptomatically	
	5. Fire-fighting measures	
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Unsuitable Extinguishing Media	No information available	
Flash Point Method -	Not applicable No information available	
Autoignition Temperature Explosion Limits	No information available	
Upper Lower Sensitivity to Mechanical Impact Sensitivity to Static Discharge	No data available No data available t No information available No information available	
Censitivity to Static Discharge		

### **Specific Hazards Arising from the Chemical**

Keep product and empty container away from heat and sources of ignition.

### **Hazardous Combustion Products**

#### Chlorine

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### NFPA

Health	<b>Flammability</b>	Instability	Physical hazards
3	0	0	-
	6. Accidental rel	lease measures	
Personal Precautions	Ensure adequate ventilation. Use personal protective equipment.		
Environmental Precautions	See Section 12 for additional ecological information.		

# Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

### 7. Handling and storage

Handling

Ensure adequate ventilation.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

STEL: 2 mg/m<sup>3</sup>

### 8. Exposure controls / personal protection

#### Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Iron(III) chloride	TWA: 1 mg/m <sup>3</sup>	(Vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Personal Protective Equipment	Ensure adequate ventilation, especially in confined areas.
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection Respiratory Protection	Wear appropriate protective gloves and clothing to prevent skin exposure. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

	9. Physical and chemical properties	
Physical State	Liquid	
Appearance	Dark brown	
Odor	No information available	
Odor Threshold	No information available	
рН	No information available	
Melting Point/Range	No data available	

**Boiling Point/Range Flash Point Evaporation Rate** Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Relative Density Solubility Partition coefficient; n-octanol/water **Autoignition Temperature Decomposition Temperature** Viscosity **Molecular Formula** 

Not applicable Not applicable No information available No information available

No data available No data available No information available No information available No information available No data available No information available No information available No information available Solution

### 10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Avoid dust formation. Excess heat. Incompatible products.
Incompatible Materials	Strong oxidizing agents, Metals
Hazardous Decomposition Produc	ts Chlorine
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

### 11. Toxicological information

### Acute Toxicity

### **Component Information**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Iron(III) chloride	450 mg/kg (Rat)	Not listed	Not listed
Toxicologically Synergistic	No information available		
Products Delayed and immediate effects	as well as chronic effects from	n short and long-term exposure	3
Irritation	No information available		
Sensitization	No information available		

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed				
Iron(III) chloride	7705-08-0	Not listed				
Mutagenic Effects	Mutagenic effects have occurred in experimental animals.					

Reproductive Effects	Experiments have shown reproductive toxicity effects on laboratory animals.
----------------------	---

- **Developmental Effects** No information available.
- Teratogenicity No information available.

STOT - single exposure STOT - repeated exposure	None known Liver Kidney Cardiovascular system
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.
	12. Ecological information

### Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Iron(III) chloride	Not listed	20.95 - 22.56 mg/L LC50 96 h 20.26 mg/L LC50 96 h	Not listed	9.6 mg/L EC50 = 48 h 27.9 mg/L EC50 = 48 h
Persistence and Degrada	ability No information	3		111g/L EC30 = 48 h

**Bioaccumulation/Accumulation** 

No information available.

.

### Mobility

Component	log Pow
Iron(III) chloride	-4

### 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

DOT	
UN-No	UN2582
Proper Shipping Name	FERRIC CHLORIDE, SOLUTION
Hazard Class	8
Packing Group	III
TDG	
UN-No	UN2582
Proper Shipping Name	FERRIC CHLORIDE, SOLUTION
Hazard Class	8
Packing Group	III
IATA_	
UN-No	UN2582
Proper Shipping Name	FERRIC CHLORIDE, SOLUTION
Hazard Class	8
Packing Group	III
IMDG/IMO	
UN-No	UN2582
Proper Shipping Name	FERRIC CHLORIDE, SOLUTION
Hazard Class	8
Packing Group	
	15. Regulatory information

All of the components in the product are on the following Inventory lists: Australia X = listed China Canada The product is classified and labeled according to EC directives or corresponding national laws The product is classified and labeled in accordance with Directive 1999/45/EC Europe TSCA Korea Philippines

### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Water	Х	Х	-	231-791-2	-		Х	-	Х	Х	Х
Iron(III) chloride	Х	Х	-	231-729-4	-		Х	Х	Х	Х	Х

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

TSCA 12(b)	Not applicable
SARA 313	Not applicable
SARA 311/312 Hazardous Cate	gorization

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### **Clean Water Act**

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Iron(III) chloride	Х	1000 lb	-	-

#### Clean Air Act

Not applicable

**OSHA** Occupational Safety and Health Administration Not applicable

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Iron(III) chloride	1000 lb	-	

California Proposition 65This product does not contain any Proposition 65 chemicals

### State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Iron(III) chloride	Х	Х	Х	-	Х

### U.S. Department of Transportation

Reportable Quantity (RQ):	Υ
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade

Serious risk, Grade 3

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

E Corrosive material D1B Toxic materials D2A Very toxic materials



### 16. Other information

Regulatory Affairs Richard Allan Scientific A Subsidiary of Thermo Fisher Scientific Tel: (800) 522-7270

Creation Date Revision Date Print Date Revision Summary 30-Nov-2014 30-Nov-2014 30-Nov-2014 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

Prepared By

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

### End of SDS



## SAFETY DATA SHEET

Creation Date 10-Nov-2014	Revision Date 10-Nov-2014	Revision Number 1
	1. Identification	
Product Name	Sodium thiosulfate solution	
Cat No. :	88025, 88000	
Synonyms	None Known.	
Recommended Use	Laboratory chemicals.	
Uses advised against Details of the supplier of the safe	No Information available ety data sheet	
<b>Company</b> Richard Allan Scientific A Subsidiary of Thermo Fisher Scie 4481 Campus Drive Kalamazoo, MI 49008 Tel: (800) 522-7270	Emergency Telephone Number Chemtrec US: (800) 424-9300 entific Chemtrec EU: 001 (202) 483-7616	
	2. Hazard(s) identification	

### Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Based on available data, the classification criteria are not met

Label Elements None required

### Hazards not otherwise classified (HNOC)

None identified

### 3. Composition / information on ingredients

Component Water		CAS-No	Weight %	
		7732-18-5	95	
Sodium thiosulfate pentahydrate		10102-17-7	5	
	4. F	irst-aid measures		
Eye Contact	Rinse immedia	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.		
Skin Contact	Wash off imme	Wash off immediately with plenty of water for at least 15 minutes.		
Inhalation	Move to fresh a	Move to fresh air.		
Ingestion	Do not induce	Do not induce vomiting.		

Most important symptoms/effects	No
Notes to Physician	Tre

No information available.

Notes to Physician	Treat symptomatically				
	5. Fire-fightin	g measures			
Unsuitable Extinguishing Media	No information available				
Flash Point Method -	No information available				
Autoignition Temperature	No information available				
Explosion Limits Upper Lower Sensitivity to Mechanical Impact Sensitivity to Static Discharge	No data available No data available No information available No information available				
Specific Hazards Arising from the C Keep product and empty container awa		gnition.			
None known Protective Equipment and Precautic As in any fire, wear self-contained brea protective gear. <u>NFPA</u> Health 1		emand, MSHA/NIOSH (approv Instability 0	ved or equivalent) and full <b>Physical hazards</b> N/A		
•	•	•	14/74		
Personal Precautions Environmental Precautions	6. Accidental rel Ensure adequate ventilation See Section 12 for addition	. Use personal protective equ	uipment.		
Methods for Containment and Clear Up	No information available.				
	7. Handling a	und storage			
	7. Handling and storage Ensure adequate ventilation.				
Handling	U	<u> </u>			

# Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Engineering Measures Personal Protective Equipment	Ensure adequate ventilation, especially in confined areas.
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Ph	ysical and chemical properties
Physical State	Liquid
Appearance	Colorless
Odor	No information available
Odor Threshold	No information available
рН	
Melting Point/Range	No data available
Boiling Point/Range	
Flash Point	
Evaporation Rate	No information available
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	No information available
Relative Density	No information available
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available

### 10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	Stable under normal conditions.		
Conditions to Avoid	Incompatible products.		
Incompatible Materials	Strong oxidizing agents		
Hazardous Decomposition Products None under normal use conditions			
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.		

11. Toxicological information

### Acute Toxicity

Component Informa Toxicologically Syn Products Delayed and immed	ergistic	No information ava		d long-term expo	sure_		
Irritation		No information available					
Sensitization		No information available					
Carcinogenicity		The table below in	dicates whether ea	ach agency has list	ed any ingredient	as a carcinogen.	
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed	
Sodium thiosulfate	10102-17-7	Not listed	Not listed	Not listed	Not listed	Not listed	
pentahydrate							
Mutagenic Effects		No information ava	ailable				

Reproductive Effects	No information available.
Developmental Effects	No information available.
Teratogenicity	No information available.
STOT - single exposure STOT - repeated exposure	None known None known
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	No information available
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.
	12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea		
Sodium thiosulfate pentahydrate			Not listed	Not listed		
Persistence and Degradat	bility No information	on available				
Bioaccumulation/ Accumu	Ilation No information	on available.				
Mobility No information available.						
	13. Di	sposal considerat	tions			
Waste Disposal Methods         Chemical waste generators must determine whether a discarded chemical is classified at hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.						
	11 Т	ransport informat	tion			

15. Regulatory information				
IMDG/IMO	Not regulated			
DOT TDG IATA	Not regulated			
TDG	Not regulated			
DOT	Not regulated			
14. Transport information				

All of the components in the product are on the following Inventory lists: Australia X = listed China Canada The product is classified and labeled according to EC directives or corresponding national laws The product is classified and labeled in accordance with Directive 1999/45/EC Philippines

### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Water	Х	Х	-	231-791-2	-		Х	-	Х	Х	Х
Sodium thiosulfate pentahydrate	-	Х	-	-	-		Х	-	X	Х	-

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

No No No No

### U.S. Federal Regulations

TSCA 12(b)	Not applicable
SARA 313	Not applicable
SARA 311/312 Hazardous Cate Acute Health Hazard Chronic Health Hazard Fire Hazard Sudden Release of Pressu Reactive Hazard	•
Clean Water Act	Not applicable

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration Not applicable

### CERCLA

Not applicable

California Proposition 65	This product does not contain any Proposition 65 chemicals
Camornia Proposition 65	This product does not contain any Proposition 65 chemicals

State Right-to-Know Not applicable

### **U.S. Department of Transportation**

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

### U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade Minimum risk, Grade 0

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

Non-controlled

16. Other information

Prepared By

Regulatory Affairs

Richard Allan Scientific A Subsidiary of Thermo Fisher Scientific Tel: (800) 522-7270

10-Nov-2014

Creation Date Revision Date Print Date Revision Summary

10-Nov-2014 10-Nov-2014 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

### End of SDS



### SAFETY DATA SHEET

Revision Date 12-Nov-2014 Creation Date 12-Nov-2014 **Revision Number** 1 1. Identification **Product Name Chromaview Van Geison** Cat No. : 88011 Synonyms No information available **Recommended Use** Laboratory chemicals. No Information available Uses advised against Details of the supplier of the safety data sheet Company **Emergency Telephone Number** Richard Allan Scientific Chemtrec US: (800) 424-9300 A Subsidiary of Thermo Fisher Scientific Chemtrec EU: 001 (202) 483-7616 4481 Campus Drive Kalamazoo, MI 49008 Tel: (800) 522-7270 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific target organ toxicity (single exposure) Target Organs - Respiratory system. Category 3

Label Elements

Signal Word Warning

Hazard Statements May cause respiratory irritation



Precautionary Statements Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

Page 1/8

### Storage Store in a well-ventilated place. Keep container tightly closed Store locked up **Disposal** Dispose of contents/container to an approved waste disposal plant <u>Hazards not otherwise classified (HNOC)</u> None identified

### 3. Composition / information on ingredients

Component	CAS-No	Weight %
Diazolidinyl urea	78491-02-8	<1
Water	7732-18-5	> 98
Picric acid	88-89-1	<1
Acid fuchsine	3244-88-0	<1

	4. First-aid measures
General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration. Call a physician or Poison Control Center immediately.
Ingestion	Do not induce vomiting. Call a physician or Poison Control Center immediately. Immediate medical attention is required. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.
Most important symptoms/effects Notes to Physician	No information available. Treat symptomatically
	5. Fire-fighting measures
Suitable Extinguishing Media	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.
Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature	No information available

data available
data available
information available
information available

### **Specific Hazards Arising from the Chemical**

Corrosive Material. Causes burns by all exposure routes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

### Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>) Thermal decomposition can lead to release of irritating gases and vapors **Protective Equipment and Precautions for Firefighters** 

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u> Health 3	<b>Flammability</b> 0	Instability 0	Physical hazards N/A
	6. Accidental rel	ease measures	
Personal Precautions	Use personal protective equipment. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Do not get in eyes, on skin, or on clothing.		
Environmental Precautions	Should not be released into the environment. See Section 12 for additional ecological information. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.		

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
Handling	Use only under a chemical fume hood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Do not ingest. Do not taste or swallow. This material should be handled at the biosafety level 2 (BSL2) as required by OSHA Bloodborne Pathogen Rule (29 CFR 1910.1030.7).
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep in properly labeled containers.

### 8. Exposure controls / personal protection

### Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Picric acid	TWA: 0.1 mg/m <sup>3</sup>	(Vacated) TWA: 0.1 mg/m³ Skin	IDLH: 75 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>
		TWA: 0.1 mg/m <sup>3</sup>	STEL: 0.3 mg/m <sup>3</sup>

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Picric acid	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Personal Protective Equipment Eye/face Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tightly fitting safety goggles. Face-shield.

Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure. impervious clothing. Chemical resistant apron. Boots. Impervious gloves.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Keep away from food, drink and animal feeding stuffs. When using, do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. For environmental protection remove and wash all contaminated protective equipment before re-use. Wear suitable gloves and eye/face protection.

### 9. Physical and chemical properties

Liquid **Physical State** Amber Appearance Odor **Odor Threshold** < 2 pН . Melting Point/Range **Boiling Point/Range** Flash Point **Evaporation Rate** Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density **Relative Density** Solubility Partition coefficient; n-octanol/water **Autoignition Temperature Decomposition Temperature** No information available Viscosity No information available

Odorless No information available No data available No information available No information available No information available No information available No data available No data available No information available No information available 1.00 - 1.08 No information available No data available No information available

### 10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Incompatible products. Excess heat. Exposure to air or moisture over prolonged periods.	
Incompatible Materials	Strong oxidizing agents	
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Thermal decomposition can lead to release of irritating gases and vapors		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

### 11. Toxicological information

### Acute Toxicity

No acute toxicity information is available for this product

#### **Product Information** Component

ent information			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Picric acid	200 mg/kg (Rat)	Not listed	Not listed

Toxicologically Synergistic Products		No information available				
Delayed and immed	iate effects as w	ell as chronic effe	cts from short an	d long-term expo	osure	
rritation		Causes burns by all exposure routes				
Sensitization		No information available				
Carcinogenicity		The table below in	dicates whether ea	ich agency has lis	ted any ingredient	as a carcinogen.
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Diazolidinyl urea	78491-02-8	Not listed	Not listed	Not listed	Not listed	Not listed
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed
Picric acid	88-89-1	Not listed	Not listed	Not listed	Not listed	Not listed
Acid fuchsine	3244-88-0	Not listed	Not listed	Not listed	Not listed	Not listed
	atogenicityNo information available.OT - single exposureRespiratory systemOT - repeated exposureNone known					
Aspiration hazard		No information available				
Symptoms / effects delayed	,both acute and	nd No information available				
Endocrine Disruptor Information		No information available				
	ts	The toxicological properties have not been fully investigated. See actual entry in RTECS complete information.			entry in RTECS for	
Other Adverse Effeo		complete informati				

Persistence and Degradability	No information available
<b>Bioaccumulation/ Accumulation</b>	No information available.

.

### Mobility

Component	log Pow
Acid fuchsine	-6.46

	13. Disposal considerations
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.
	14. Transport information
DOT UN-No Proper Shipping Name Proper technical name	UN3265 Corrosive liquid, acidic, organic, n.o.s (Acid fuchsin, Picric acid)

Hazard Class	8 III
TDG	
UN-No	UN3265
Proper Shipping Name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Hazard Class	8
Packing Group	III
IATA	
UN-No	UN3265
Proper Shipping Name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Hazard Class	8
Packing Group	III
IMDG/IMO	
UN-No	UN3265
Proper Shipping Name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Hazard Class	8
Packing Group	III
	15. Regulatory information

All of the components in the product are on the following Inventory lists: Australia X = listed China Canada The product is classified and labeled according to EC directives or corresponding national laws The product is classified and labeled in accordance with Directive 1999/45/EC Europe TSCA Philippines

### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Diazolidinyl urea	Х	Х	-	278-928-2	-		Х	-	Х	Х	Х
Water	Х	Х	-	231-791-2	-		Х	-	Х	Х	Х
Picric acid	Х	Х	-	201-865-9	-		Х	Х	Х	Х	Х
Acid fuchsine	Х	Х	-	221-816-5	-		Х	Х	Х	Х	-

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### U.S. Federal Regulations

TSCA 12(b) Not applicable

### SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Picric acid	88-89-1	<1	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

### Clean Water Act

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration Not applicable

CERCLA Not applicable

### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Picric acid	Х	Х	Х	-	Х

### **U.S.** Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

### **U.S. Department of Homeland Security**

This product contains the following DHS chemicals:

Component	DHS Chemical Facility Anti-Terrorism Standard
Picric acid	2000 lb STQ

### Other International Regulations

### Mexico - Grade

No information available


Not applicable

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

### **WHMIS Hazard Class**

E Corrosive material D2B Toxic materials



16. Other information

**Prepared By** 

Regulatory Affairs Richard Allan Scientific A Subsidiary of Thermo Fisher Scientific Tel: (800) 522-7270

Creation Date Revision Date Print Date Revision Summary 12-Nov-2014 12-Nov-2014 12-Nov-2014 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

### **End of SDS**



### SAFETY DATA SHEET

Creation Date 12-Nov-2014 Revision Date 12-Nov-2014 **Revision Number** 1 1. Identification **Product Name** Wegert's lodine Solution Cat No. : 88009 No information available Synonyms **Recommended Use** Laboratory chemicals. Uses advised against No Information available Details of the supplier of the safety data sheet Company **Emergency Telephone Number** Richard Allan Scientific Chemtrec US: (800) 424-9300 A Subsidiary of Thermo Fisher Scientific Chemtrec EU: 001 (202) 483-7616 4481 Campus Drive Kalamazoo, MI 49008 Tel: (800) 522-7270 2. Hazard(s) identification

### Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Based on available data, the classification criteria are not met

Label Elements
None required

### Hazards not otherwise classified (HNOC)

None identified

### 3. Composition / information on ingredients

Component	CAS-No	Weight %
Water	7732-18-5	>99
Potassium iodide	7681-11-0	<1
lodine	7553-56-2	<1

	4. First-aid measures
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes.
Inhalation	Move to fresh air.

<b>Revision Date</b>	12-Nov-2014
----------------------	-------------

Ingestion	Do not induce vomiting.
Most important symptoms/effects	No information available.
Notes to Physician	Treat symptomatically

	5. Fire-fighting measures
Suitable Extinguishing Media	Water spray. Carbon dioxide (CO 2). Dry chemical. Foam.
Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper Lower	No data available No data available
Sensitivity to Mechanical Impac Sensitivity to Static Discharge	

### **Specific Hazards Arising from the Chemical**

Keep product and empty container away from heat and sources of ignition.

### **Hazardous Combustion Products**

None known

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA
------

<u>NFFA</u>	Health 1	Flammability 0	Instability 0	Physical hazards N/A
		6. Accidental rele	ease measures	
	1.0		11 1 1 1 1	

Personal Precautions Environmental Precautions

Ensure adequate ventilation. Use personal protective equipment.ns See Section 12 for additional ecological information.

Methods for Containment and Clean No information available. Up

_				
7	Handl	ina	and	storage
· / .	Tana	IIIQ.	and	SUDAUC

Handling

Ensure adequate ventilation.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

### 8. Exposure controls / personal protection

### Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium iodide	TWA: 0.01 ppm		
lodine	TWA: 0.01 ppm STEL: 0.1 ppm	Ceiling: 0.1 ppm Ceiling: 1 mg/m <sup>3</sup> (Vacated) Ceiling: 0.1 ppm (Vacated) Ceiling: 1 mg/m <sup>3</sup>	IDLH: 2 ppm Ceiling: 0.1 ppm Ceiling: 1 mg/m <sup>3</sup>

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Potassium iodide			TWA: 0.01 ppm
lodine	Ceiling: 0.1 ppm Ceiling: 1.0 mg/m <sup>3</sup>	Ceiling: 0.1 ppm Ceiling: 1 mg/m <sup>3</sup>	TWA: 0.01 ppm STEL: 0.1 ppm

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

	<u> </u>
Physical State	
Appearance	
Odor	
Odor Threshold	
рН	
Melting Point/Range	
Boiling Point/Range	
Flash Point	
Evaporation Rate	
Flammability (solid,gas)	
Flammability or explosive limits	
Upper	
Lower	
Vapor Pressure	
Vapor Density	
Relative Density	
Solubility	
Partition coefficient; n-octanol/water	
Autoignition Temperature	
Decomposition Temperature	
Viscosity	
Molecular Formula	

Liquid Yellow Red Clear Odorless No information available No information available No data available No information available No information available No information available

No data available No data available No information available No information available No information available No data available No information available No information available No information available Solution

### 10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	Stable under normal conditions.		
Conditions to Avoid	Incompatible products.		
Incompatible Materials	Strong oxidizing agents		
Hazardous Decomposition Products None under normal use conditions			
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.		

### 11. Toxicological information

### Acute Toxicity

### **Component Information**

	Component LD50 Oral LD50 Dermal		LC50	LC50 Inhalation			
Potassium iodide		2779 mg/kg (Rat)	(Rat) Not listed		No	Not listed	
Iodine		315 mg/kg ( Rat ) 1425 mg/kg ( Rabbit ) 4.588 mg/L 4h		g/L 4h(Rat)			
Foxicologically Syn	ergistic	No information ava	ailable				
Products							
Delayed and immed	iate effects	as well as chronic effe	cts from short an	d long-term expo	sure		
rritation		No information ava	ailable				
Sensitization		No information ava	ailable				
Carcinogenicity		The table below in	dicates whether ea	ach agency has lis	ted any ingredient	as a carcinoger	
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Water	7732-18-	5 Not listed	Not listed	Not listed	Not listed	Not listed	
Potassium iodide	7681-11-	0 Not listed	Not listed	Not listed	Not listed	Not listed	
Iodine Mutagenic Effects	7553-56-2	2 Not listed	Not listed	Not listed	Not listed	Not listed	
Reproductive Effect Developmental Effect Feratogenicity							
STOT - single expos STOT - repeated exp							
Aspiration hazard		No information ava	No information available				
Symptoms / effects delayed	,both acute	and No information available					
Endocrine Disruptor Information No information available							
Endocrine Disrupto	lineinaile						

### 12. Ecological information

Ecotoxicity Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Potassium iodide	-	Onchorhynchus mykiss: LC50: 3200 mg/L/120h	-	-
lodine	-	Oncorhynchus mykiss: LC50 = 1,7 mg/l/96 h	-	EC50 = 0,2 mg/l/48 h
Persistence and Degradat	bility No information	on available		
Bioaccumulation/ Accumu	ulation No information	on available.		

Mobility

No information available.

Component	log Pow
Potassium iodide	0.04
lodine	2.49

### 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	Not regulated
DOT TDG	Not regulated
<u>IATA</u>	Not regulated
IMDG/IMO	Not regulated
	15. Regulatory information

All of the components in the product are on the following Inventory lists: Australia X = listed China Canada The product is classified and labeled according to EC directives or corresponding national laws The product is classified and labeled in accordance with Directive 1999/45/EC Europe TSCA Korea Philippines

#### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Water	Х	Х	-	231-791-2	-		Х	-	Х	Х	Х
Potassium iodide	Х	Х	-	231-659-4	-		Х	Х	Х	Х	Х
lodine	Х	Х	-	231-442-4	-		Х	-	Х	Х	Х

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

Yes Yes No No No

U.S. Federal Regulations

TSCA 12(b)	Not applicable

SARA 313 Not applicable

SARA 311/312 Hazardous Categorization	
Acute Health Hazard	
<u>.</u>	

Chronic Health Hazard Fire Hazard Sudden Release of Pre Reactive Hazard	ssure Hazard
Clean Water Act	Not applicable

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration Not applicable

#### CERCLA Not applicable

### California Proposition 65

This product does not contain any Proposition 65 chemicals

### State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
lodine	Х	Х	Х	-	Х

### U.S. Department of Transportation

Reportable Quantity (RQ):	N
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	N

### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

Slight risk, Grade 1

D2A Very toxic materials

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class



### 16. Other information

Regulatory Affairs Richard Allan Scientific A Subsidiary of Thermo Fisher Scientific Tel: (800) 522-7270

Creation Date Revision Date Print Date Revision Summary 12-Nov-2014 12-Nov-2014 12-Nov-2014 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

### Disclaimer

Prepared By

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

### End of SDS