



SAFETY DATA SHEET

Preparation Date: 12/16/2015

Revision Date: 12/16/2015

Revision Number: G1

1. IDENTIFICATION

Product identifier

Product code: M1194
Product Name: MINERAL OIL, WHITE, MEDIUM, FCC

Other means of identification

Synonyms: White Mineral Oil
CAS #: 8042-47-5
RTECS # PY8047000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: Lubricant. Medication.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
14422 South San Pedro St.
Gardena, CA 90248
(310) 516-8000

Order Online At: <https://www.spectrumchemical.com>

Emergency telephone number Chemtrec 1-800-424-9300
Contact Person: Martin LaBenz (West Coast)
Contact Person: Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Not classified

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

Product code: M1194

Product name: MINERAL OIL, WHITE,
MEDIUM, FCC

1 / 11

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
Mineral Oil, White, medium 8042-47-5	8042-47-5	100	*

4. FIRST AID MEASURES

First aid measures

General Advice:

Poison information centers in each State capital city can provide additional assistance for scheduled poisons (13 1126)

Skin Contact:

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention if irritation develops. Consult a physician if necessary.

Eye Contact:

Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms persist, call a physician.

Inhalation:

Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms

May cause eye irritation. May cause skin irritation. Thirst. May cause diarrhea. Vomiting. May cause abdominal discomfort.

Indication of any immediate medical attention and special treatment needed

Notes to Physician:

Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media:

Carbon dioxide (CO₂). Dry chemical. Foam.

Unsuitable Extinguishing Media:

Do not use a solid (straight) water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Hazardous Combustion Products:

Carbon monoxide; Carbon dioxide

Specific hazards:

May be combustible at high temperatures

Special Protective Actions for Firefighters

Specific Methods:	For large fires, flood fire area with water from a distance. For larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out.
Special Protective Equipment for Firefighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Remove all sources of ignition.

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite, dry sand or earth).

Methods for cleaning up Absorb spill with inert material (e.g. vermiculite, dry sand or earth), then place in a suitable chemical waste container. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. All equipment used when handling the product must be grounded. Remove all sources of ignition. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Do not ingest. Do not smoke. Keep away from open flames, hot surfaces and sources of ignition. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Protect from light. Sensitive to light. Store in light-resistant containers.

Incompatible Materials:

Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
Mineral Oil, White, medium 8042-47-5	None	None	None	None

Canada

Components	Alberta	British Columbia	Ontario	Quebec
------------	---------	------------------	---------	--------

Mineral Oil, White, medium 8042-47-5	None	None	None	None
---	------	------	------	------

Australia and Mexico

Components	Australia	Mexico
Mineral Oil, White, medium 8042-47-5	None	None

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles.

Skin and body protection: Chemical resistant apron. Long sleeved clothing. Gloves.

Respiratory protection: Respiratory protection is not necessary for normal handling. Good room ventilation or use of local exhaust (fume hood) is sufficient. Use a vapor respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapor, inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified respirator or equivalent. .

Hygiene measures: Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid	Appearance: Oily. Viscous.	Color: Water-white. Colorless.
Odor: Odorless.	Taste No information available	Formula: No information available
Molecular/Formula weight: No information available	Flammability: No information available	Flash point (°C): >115
Flashpoint (°C/°F): >115 °C/239 °F	Flash Point Tested according to: Open cup	Autoignition Temperature (°C/°F): No information available
Lower Explosion Limit (%): No information available	Upper Explosion Limit (%): No information available	pH: No information available
Melting point/range(°C/°F): No information available	Boiling point/range(°C/°F): >230°C/446°F 218-643 °C/424.4-1189 °F	Decomposition temperature(°C/°F): No information available
Bulk density: No information available	Density (g/cm3): No information available	Specific gravity: 0.848-0.867
Vapor pressure @ 20°C (kPa): <0.1	Evaporation rate: No information available	Vapor density: No information available
VOC content (g/L): No information available	Odor threshold (ppm): No information available	Partition coefficient (n-octanol/water): >6
Viscosity: Medium viscosity range is 24.2 to 26.30 cSt @ 40 deg. C 3-11 cSt @ 100 deg. C	Miscibility: No information available	Solubility: Soluble in most organic solvents Insoluble in water

10. STABILITY AND REACTIVITY

Reactivity

Reactive with strong oxidizing agents

Chemical stability

Stability:

Stable under recommended storage conditions

Possibility of Hazardous Reactions:

Hazardous polymerization does not occur

Conditions to avoid:

Heat. Ignition sources. Incompatible materials. Exposure to light.

Incompatible Materials:

Strong oxidizing agents.

Hazardous decomposition products:

Carbon oxides.

Other Information

Corrosivity:

No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product code: M1194

Product name: MINERAL OIL, WHITE,
MEDIUM, FCC

5 / 11

Principal Routes of Exposure:

Skin. Ingestion.

Acute Toxicity**Component Information**

Mineral Oil, White, medium - 8042-47-5

LD50/oral/rat = > 5000 mg/kg Oral LD50 Rat

LD50/oral/mouse = No information available

LD50/dermal/rat = No information available

LD50/dermal/rabbit = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No information available

Other LD50 or LC50 information = No information available

Product Information

LD50/oral/rat =

VALUE- Acute Tox Oral = >5000mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available

VALUE-Gas = No information available

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available

VALUE - Gas = No information available

VALUE - Dust/Mist = No information available

Symptoms**Skin Contact:**

May cause skin irritation. Although this material is not known to be an irritant, it may be mildly irritating in sensitive individuals.

Eye Contact:

May cause eye irritation. May cause slight temporary eye irritation.

Inhalation

Not expected to be an inhalation hazard. May cause respiratory tract irritation. Symptoms may include coughing and shortness of breath. It is not expected to be an inhalation hazard during usual industrial handling and at ambient conditions unless it is misted or aerosolized. Caution should be taken to prevent aerosolization or misting. If aspiration occurs upon inhalation of mist or aerosol, it may lead to chemical or lipid pneumonitis, aspiration or lipid pneumonia, and pulmonary edema.

Ingestion Regarded as essentially non-toxic. May cause abdominal discomfort. May cause stomach cramping. It can have a purging or laxative effect.. May cause vomiting. May cause diarrhea. May cause thirst.

Aspiration hazard No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity Prolonged or repeated ingestion may affect the liver
Prolonged or repeated ingestion may cause loss of appetite
Regular ingestion of mineral oil during pregnancy may reduce absorption of Vitamin K and produce hypoprothrombinemia in the newborn
Heavy exposure to oil mist in the absence of adequate ventilation may cause lipoid pneumonia. It may also cause slight basal lung fibrosis

Sensitization: No information available

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic

Components	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Mineral Oil, White, medium	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Reproductive toxicity No data is available

Reproductive Effects: No information available
Developmental Effects: No information available
Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure No information available
STOT - repeated exposure No information available
Target Organs: No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: Aquatic environment.

Mineral Oil, White, medium - 8042-47-5

Freshwater Fish Species Data: >10000 mg/L LC50 *Lepomis macrochirus* 96 h

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal Do not re-use empty containers Dispose of as unused product.

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Mineral Oil, White, medium	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: None
ERG No: No information available
Marine Pollutant No data available
DOT RQ (lbs): No information available

TDG (Canada)

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

ADR

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Packing Group: No information available
Subsidiary Risk: No information available
Classification Code: No information available
Description: No information available
CEFIC Tremcard No: No information available

IMO / IMDG

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available
IMDG Page: No information available
Marine Pollutant No information available

14. TRANSPORT INFORMATION

MFAG: No information available
Maximum Quantity: No information available

RID

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Classification Code: No information available
Description: No information available

ICAO

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

IATA

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

15. REGULATORY INFORMATION

International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Mineral Oil, White, medium	Present	Present KE-35412	Present	Not present	Present	Present	Present 232-455-8

U.S. Regulations

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Mineral Oil, White, medium	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting <i>de minimis</i>
Mineral Oil, White, medium	None	None	None	None	None

U.S. TSCA

Components	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Mineral Oil, White, medium	Not Applicable	Not Applicable

Canada

WHMIS hazard class:

Non-controlled

Mineral Oil, White, medium

Uncontrolled product according to WHMIS classification criteria

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	Canada (DSL)	Canada (NDSL)
Mineral Oil, White, medium	Present	Not Listed

Components	CEPA Schedule I - Toxic Substances	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Mineral Oil, White, medium	Not listed	Not listed

EU Classification

R-phrase(s)

not determined (not applicable)

S -phrase(s)

none

Components	Classification	Concentration Limits:	Safety Phrases
Mineral Oil, White, medium		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

None.

16. OTHER INFORMATION

Preparation Date: 12/16/2015
Revision Date: 12/16/2015
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet