



SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 01/31/2018

Revision Date 01/31/2018

1 Identification of the Substance/Mixture and Company

Product Name: Quick Stain

SDS Code: SSSTQUI

Product Description: Histology Stain

Manufacturer/Supplier:

American MasterTech
1330 Thurman Street
Lodi, CA 95240
USA
(800) 860-4073

European Authorized Representative:

Emergo Europe
Prinsessegracht 20
2514 AP The Hague,
The Netherlands

Emergency Telephone Number: Infotrac (800) 535-5053 (24 hours) - International (011) 352-323-3500

2 Hazards Identification

Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS02



GHS08

Signal word Danger

Hazard statements

Highly flammable liquid and vapor.

Suspected of causing cancer.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 01/31/2018

Revision Date 01/31/2018

Product Name: Quick Stain

Use explosion-proof electrical/ventilating/lighting/equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 IF exposed or concerned: Get medical advice/attention.
 In case of fire: Use for extinction: CO₂, powder or water spray.
 Store in a well-ventilated place. Keep cool.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:**NFPA ratings (scale 0 - 4)**

Health = 1

Fire = 3

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 1

Fire = 3

Reactivity = 0

Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

3 Composition

Chemical characterization: Mixtures**Description:** Mixture of the substances listed below with nonhazardous additions.

| Dangerous components: | | |
|------------------------------|--|------------|
| 67-56-1 | methanol | ≥0.1-≤2.5% |
| 632-99-5 | (4-(4-aminophenyl)(4-iminocyclohexa-2,5-dienylidene)methyl)-2-methylanilinehydrochloride | ≥0.1-≤2.5% |

4 First Aid Measures

Description of first aid measures**After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:** Generally the product does not irritate the skin.**After eye contact:** Rinse opened eye for several minutes under running water.**After swallowing:** If symptoms persist consult doctor.**Information for doctor:****Most important symptoms and effects, both acute and delayed:** No further relevant information available.**Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

5 Firefighting Measures

Extinguishing media**Suitable extinguishing agents:**CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 01/31/2018

Revision Date 01/31/2018

Product Name: Quick Stain

Special hazards arising from the substance or mixture: No further relevant information available.

Advice for firefighters
Protective equipment: No special measures required.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

| | | |
|---------------|----------|-----------|
| PAC-1: | | |
| 67-56-1 | methanol | 530 ppm |
| PAC-2: | | |
| 67-56-1 | methanol | 2,100 ppm |
| PAC-3: | | |
| 67-56-1 | methanol | 7200* ppm |

7 Handling and Storage

Handling:
Precautions for safe handling: No special precautions are necessary if used correctly.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

Additional information about design of technical systems: No further data; see item 7.

SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 01/31/2018

Revision Date 01/31/2018

Product Name: Quick Stain**Control parameters****Components with limit values that require monitoring at the workplace:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-56-1 methanol

| | |
|-----|---|
| PEL | Long-term value: 260 mg/m ³ , 200 ppm |
| REL | Short-term value: 325 mg/m ³ , 250 ppm |
| | Long-term value: 260 mg/m ³ , 200 ppm |
| | Skin |
| TLV | Short-term value: 328 mg/m ³ , 250 ppm |
| | Long-term value: 262 mg/m ³ , 200 ppm |
| | Skin; BEI |

Ingredients with biological limit values:**67-56-1 methanol**

| | |
|-----|---|
| BEI | 15 mg/L |
| | Medium: urine |
| | Time: end of shift |
| | Parameter: Methanol (background, nonspecific) |

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls:**Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Breathing equipment: Not required.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Tightly sealed goggles

9 Physical and Chemical Properties

Information on basic physical and chemical properties**General Information****Appearance**

| | |
|---------------|-----------------|
| Form: | Liquid |
| Color: | Purple |
| Odor: | Nearly odorless |

SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 01/31/2018

Revision Date 01/31/2018

Product Name: Quick Stain

| | |
|---|--|
| Odor threshold: | Not determined. |
| pH-value: | Not determined. |
| Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 64 °C (147.2 °F) |
| Flash point: | 11 °C (51.8 °F) |
| Flammability (solid, gaseous): | Not applicable. |
| Ignition temperature: | 455 °C (851 °F) |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
| Explosion limits: | |
| Lower: | 5.5 Vol % |
| Upper: | 44 Vol % |
| Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) |
| Density: | Not determined. |
| Relative density: | Not determined. |
| Vapour density: | Not determined. |
| Evaporation rate: | Not determined. |
| Solubility in / Miscibility with Water: | Fully miscible. |
| Partition coefficient (n-octanol/water): | Not determined. |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| Other information: | No further relevant information available. |

10 Stability and Reactivity

Reactivity: No further relevant information available.

Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions: No dangerous reactions known.

Conditions to avoid: No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 01/31/2018

Revision Date 01/31/2018

Product Name: Quick Stain

11 Toxicology Information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

67-56-1 methanol

| | | |
|--------|------|-----------------------|
| Oral | LD50 | 5,628 mg/kg (rat) |
| Dermal | LD50 | 15,800 mg/kg (rabbit) |

Primary irritant effect:

On the skin: No irritant effect.

On the eye: No irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

| | | |
|----------|--|----|
| 632-99-5 | (4-(4-aminophenyl)(4-iminocyclohexa-2,5-dienylidene)methyl)-2-methylanilinehydrochloride | 2B |
|----------|--|----|

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological Information

Toxicity:

Aquatic toxicity: No further relevant information available.

Persistence and degradability: No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

SAFETY DATA SHEET









In Accordance with ISO/DIS 11014

Review Date 01/31/2018

Revision Date 01/31/2018

Product Name: Quick Stain

14 Transport Information

| | |
|---|---|
| UN-Number DOT, ADR, IMDG, IATA | UN1230 |
| UN proper shipping name DOT ADR IMDG, IATA | Methanol mixture 1230 Methanol mixture METHANOL mixture |
| Transport hazard class(es) DOT | |
|   | |
| Class Label | 3 Flammable liquids 3, 6.1 |
| ADR | |
|   | |
| Class Label | 3 Flammable liquids 3+6.1 |
| IMDG | |
|   | |
| Class Label | 3 Flammable liquids 3/6.1 |
| IATA | |
|   | |
| Class Label | 3 Flammable liquids 3 (6.1) |
| Packing group DOT, ADR, IMDG, IATA | II |
| Environmental hazards Marine pollutant: | No |
| Special precautions for user: Danger code (Kemler): EMS Number: Stowage Category | Warning: Flammable liquids 336 F-E,S-D B |

SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 01/31/2018

Revision Date 01/31/2018

Product Name: Quick Stain

| | |
|---|---|
| Stowage Code | SW2 Clear of living quarters. |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: | Not applicable. |
| Transport/Additional information: | |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L |
| ADR | |
| Excepted quantities (EQ) | Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| IMDG | |
| Limited quantities (LQ) | 1L |
| Excepted quantities (EQ) | Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation": | UN 1230 METHANOL MIXTURE, 3 (6.1), II |

15 Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture
SARA

| |
|---|
| Section 355 (extremely hazardous substances): |
| None of the ingredients are listed. |
| Section 313 (Specific toxic chemical listings): |
| 67-56-1 methanol |
| TSCA (Toxic Substances Control Act): |
| All ingredients are listed. |
| TSCA new (21st Century Act) (Substances not listed) |
| 632-99-5 (4-(4-aminophenyl)(4-iminocyclohexa-2,5-dienylidene)methyl)-2-methylanilinehydrochloride |
| Proposition 65 |
| Chemicals known to cause cancer: |
| None of the ingredients is listed. |
| Chemicals known to cause reproductive toxicity for females: |
| None of the ingredients are listed. |
| Chemicals known to cause reproductive toxicity for males: |
| None of the ingredients are listed. |
| Chemicals known to cause developmental toxicity: |
| 67-56-1 methanol |
| Carcinogenic categories |
| EPA (Environmental Protection Agency) |
| None of the ingredients are listed. |

SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 01/31/2018

Revision Date 01/31/2018

Product Name: Quick Stain**TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS02 GHS08

Signal word Danger**Hazard statements**

Highly flammable liquid and vapor.

Suspected of causing cancer.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If exposed or concerned: Get medical advice/attention.

In case of fire: Use for extinction: CO₂, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

This information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of the material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

Department issuing SDS: Regulatory Department**Contact:** Phone (800) 860-4073**Date of preparation / last revision** 01/31/2018 / -**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 01/31/2018

Revision Date 01/31/2018

Product Name: Quick Stain

DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Flam. Liq. 2: Flammable liquids – Category 2
Carc. 2: Carcinogenicity – Category 2

Copyright © 2018-2019 American MasterTech Scientific. All rights reserved.

No part of these pages may be used for any purpose other than personal use. Therefore, reproduction, modification, storage in a retrieval system or retransmission, in any form or by any means, for reasons other than personal use, is strictly prohibited without prior written permission.