

SAFETY DATA SHEET

Creation Date 10-Nov-2014 Revision Date 10-Nov-2014 Revision Number 1

1. Identification

Product Name Tissue Section Adhesive

Cat No.: 86014

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

CompanyRichard Allan Scientific
A Subsidiary of Thermo Fisher Scientific

4481 Campus Drive Kalamazoo, MI 49008 Tel: (800) 522-7270 Emergency Telephone Number Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616

2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Based on available data, the classification criteria are not met

Label Elements

None required

Hazards not otherwise classified (HNOC)

None identified

3. Composition / information on ingredients

| Component | CAS-No | Weight % |
|------------------------------------|-----------|----------|
| Hexadecyltrimethylammonium bromide | 57-09-0 | <1 |
| Formaldehyde | 50-00-0 | <0.1 |
| Ethylene glycol | 107-21-1 | 3 - 5 |
| Methyl alcohol | 67-56-1 | <1 |
| Water | 7732-18-5 | >95 |
| Gelatin | 9000-70-8 | <1 |

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes.

Inhalation Move to fresh air.

Ingestion Do not induce vomiting.

Most important symptoms/effects
Notes to Physician

No information available.
Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water spray. Dry chemical. Carbon dioxide (CO₂). alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO2)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 1 | 1 | 0 | - |

6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment.

Environmental Precautions See Section 12 for additional ecological information.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up**

7. Handling and storage

Handling Ensure adequate ventilation.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-----------------|--------------------------------|--|-----------------------------|
| Formaldehyde | Ceiling: 0.3 ppm | (Vacated) TWA: 3 ppm | IDLH: 20 ppm |
| · | | (Vacated) STEL: 10 ppm | TWA: 0.016 ppm |
| | | (Vacated) Ceiling: 5 ppm | Ceiling: 0.1 ppm |
| | | TWA: 0.75 ppm | |
| | | STEL: 2 ppm | |
| Ethylene glycol | Ceiling: 100 mg/m ³ | (Vacated) Ceiling: 50 ppm | |
| | | (Vacated) Ceiling: 125 mg/m ³ | |
| Methyl alcohol | TWA: 200 ppm | (Vacated) TWA: 200 ppm | IDLH: 6000 ppm |
| | STEL: 250 ppm | (Vacated) TWA: 260 mg/m ³ | TWA: 200 ppm |
| | Skin | (Vacated) STEL: 250 ppm | TWA: 260 mg/m ³ |
| | | (Vacated) STEL: 325 mg/m ³ | STEL: 250 ppm |
| | | Skin | STEL: 325 mg/m ³ |
| | | TWA: 200 ppm | |
| | | TWA: 260 mg/m ³ | |

| Component | Quebec | Mexico OEL (TWA) | Ontario TWAEV |
|-----------------|--|--|---------------------------------------|
| Formaldehyde | rmaldehyde Ceiling: 2 ppm Ceiling: 3 mg/m³ | | STEL: 1.0 ppm CEV: 1.5 ppm |
| Ethylene glycol | Ceiling: 50 ppm Ceiling: 127 mg/m ³ | Ceiling: 100 mg/m ³ | CEV: 100 mg/m ³ |
| Methyl alcohol | TWA: 200 ppm TWA: 262 mg/m³ STEL: 250 ppm STEL: 328 mg/m³ Skin | TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm STEL: 310 mg/m³ | TWA: 200 ppm STEL: 250 ppm Skin |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Personal Protective Equipment

Eye/face Protection

Ensure adequate ventilation, especially in confined areas.

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Respiratory Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice.

Hygiene Measures

9. Physical and chemical properties

Physical StateLiquidAppearanceNo information availableOdorNo information availableOdor ThresholdNo information availablePHNo information availableMelting Point/RangeNo data available

Boiling Point/RangeNo information availableFlash PointNo information availableEvaporation RateNo information availableFlammability (solid,gas)No information available

Flammability or explosive limits

Upper No data available
Lower No data available
Vapor Pressure No information available
Vapor Density No information available
Relative Density No information available
Solubility No information available

Partition coefficient; n-octanol/water No data available

No information available

Autoignition Temperature Decomposition Temperature Viscosity

No information available No information available

10. Stability and reactivity

None known, based on information available **Reactive Hazard**

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|------------------------------------|--------------------------|--------------------|----------------------|
| Hexadecyltrimethylammonium bromide | 410 mg/kg (Rat) | Not listed | Not listed |
| Formaldehyde | 500 mg/kg (Rat) | 270 mg/kg (Rabbit) | 0.578 mg/L (Rat) 4 h |
| Ethylene glycol | 4000 - 10200 mg/kg (Rat) | 10600 mg/kg (Rat) | Not listed |
| Methyl alcohol | 6200 mg/kg (Rat) | Not listed | 22500 ppm (Rat) 8 h |

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available Irritation

Sensitization May cause sensitization by inhalation

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
|-------------------------------------|-----------|------------|-----------------------|------------|------------|------------|
| Hexadecyltrimethylam monium bromide | 57-09-0 | Not listed | Not listed Not listed | | Not listed | Not listed |
| Formaldehyde | 50-00-0 | Group 1 | Known | A2 | Χ | A2 |
| Ethylene glycol | 107-21-1 | Not listed | Not listed | Not listed | Not listed | Not listed |
| Methyl alcohol | 67-56-1 | Not listed | Not listed Not listed | | Not listed | Not listed |
| Water | 7732-18-5 | Not listed | Not listed | Not listed | Not listed | Not listed |
| Gelatin | 9000-70-8 | Not listed | Not listed | Not listed | Not listed | Not listed |

IARC: (International Agency for Research on Cancer)

NTP: (National Toxicity Program)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|--|--------------------------------|--|---|---|
| Hexadecyltrimethylammoniu m bromide | 0.09 mg/L EC50 = 96 h | Not listed | = 9.84 mg/L EC50 Photobacterium phosphoreum 5 min | Not listed |
| Formaldehyde | Not listed | Leuciscus idus: LC50 = 15 mg/L 96h | Not listed | EC50 = 20 mg/L 96h EC50 = 2 mg/L 48h |
| Ethylene glycol | 6500 - 13000 mg/L EC50 96 h | 16000 mg/L LC50 96 h 40000 - 60000 mg/L LC50 96 h 40761 mg/L LC50 96 h 27540 mg/L LC50 96 h 14 - 18 mL/L LC50 96 h 41000 mg/L LC50 96 h | EC50 = 10000 mg/L 16 h EC50 = 620 mg/L 30 min EC50 = 620.0 mg/L 30 min | 46300 mg/L EC50 = 48 h |
| Methyl alcohol | Not listed | Pimephales promelas: LC50 > 10000 mg/L 96h | EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min | EC50 > 10000 mg/L 24h |

Persistence and Degradability

No information available

Bioaccumulation/ Accumulation No information available.

Mobility .

| Component | log Pow |
|------------------------------------|---------|
| Hexadecyltrimethylammonium bromide | 3.2 |
| Formaldehyde | -0.35 |
| Ethylene glycol | -1.93 |
| Methyl alcohol | -0.74 |

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component | RCRA - U Series Wastes | RCRA - P Series Wastes |
|--------------------------|------------------------|------------------------|
| Formaldehyde - 50-00-0 | U122 | - |
| Methyl alcohol - 67-56-1 | U154 | - |

| 11 | | 1 . C |
|-----|-------------|-------------|
| 14. | Transport | information |

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

15. Regulatory information

All of the components in the product are on the following Inventory lists: Australia X = listed China Canada The product is classified and labeled according to EC directives or corresponding national laws The product is classified and labeled in accordance with Directive 1999/45/EC Europe TSCA Korea Philippines

International Inventories

| Component | TSCA | DSL | NDSL | EINECS | ELINCS | NLP | PICCS | ENCS | AICS | IECSC | KECL |
|---------------------------|------|-----|------|-----------|--------|-----|-------|------|------|-------|------|
| Hexadecyltrimethylammoniu | Х | X | - | 200-311-3 | - | | Х | Х | Х | Х | Х |
| m bromide | | | | | | | | | | | |
| Formaldehyde | Χ | Χ | - | 200-001-8 | - | | Χ | Χ | Χ | Х | Χ |
| Ethylene glycol | Χ | Х | - | 203-473-3 | - | | Х | Х | Х | Х | Х |
| Methyl alcohol | Χ | Χ | - | 200-659-6 | - | | Χ | Х | Χ | Х | Χ |
| Water | Х | Х | - | 231-791-2 | - | | Х | - | Х | Х | Х |
| Gelatin | Х | Х | - | 232-554-6 | - | | Х | Х | Х | Х | Х |

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313

| Component | CAS-No | Weight % | SARA 313 - Threshold Values % |
|-----------------|----------|----------|----------------------------------|
| Formaldehyde | 50-00-0 | <0.1 | 0.1 |
| Ethylene glycol | 107-21-1 | 3 - 5 | 1.0 |
| Methyl alcohol | 67-56-1 | <1 | 1.0 |

SARA 311/312 Hazardous Categorization

| Acute Health Hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | Yes |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Revision Date 10-Nov-2014

Tissue Section Adhesive

Clean Water Act

| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|--------------|-------------------------------|--------------------------------|------------------------|---------------------------|
| Formaldehyde | X | 100 lb | - | - |

Clean Air Act

| Component | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|-----------------|-----------|-------------------------|-------------------------|
| Formaldehyde | X | | - |
| Ethylene glycol | X | | - |
| Methyl alcohol | X | | - |

OSHA Occupational Safety and Health Administration

OSHA - United States Occupational Safety and Health Administration

| Component | Specifically Regulated Chemicals | Highly Hazardous Chemicals |
|--------------|----------------------------------|----------------------------|
| Formaldehyde | 2 ppm STEL | TQ: 1000 lb |
| | 0.5 ppm Action Level | |
| | AWT mgg 27.0 | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Component | Hazardous Substances RQs | CERCLA EHS RQs |
|-----------------|--------------------------|----------------|
| Formaldehyde | 100 lb | 100 lb |
| Ethylene glycol | 5000 lb | - |
| Methyl alcohol | 5000 lb | - |

California Proposition 65

This product contains the following Proposition 65 chemicals:

| Component | CAS-No | California Prop. 65 | Prop 65 NSRL | Category |
|----------------|---------|---------------------|--------------|---------------|
| Formaldehyde | 50-00-0 | Carcinogen | 40 μg/day | Carcinogen |
| Methyl alcohol | 67-56-1 | Developmental | - | Developmental |

State Right-to-Know

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-----------------|---------------|------------|--------------|----------|--------------|
| Formaldehyde | Х | X | Х | X | X |
| Ethylene glycol | X | X | Х | X | X |
| Methyl alcohol | X | X | X | X | Х |

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product contains the following DHS chemicals:

| Component | DHS Chemical Facility Anti-Terrorism Standard |
|--------------|---|
| Formaldehyde | 11250 lb STQ (solution) |

Other International Regulations

Mexico - Grade Slight risk, Grade 1

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class D2A Very toxic materials



16. Other information

Prepared By Regulatory Affairs

Richard Allan Scientific

A Subsidiary of Thermo Fisher Scientific

Tel: (800) 522-7270

 Creation Date
 10-Nov-2014

 Revision Date
 10-Nov-2014

 Print Date
 10-Nov-2014

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS